

# CONTENTS

---

<b>Abstract</b>	<b>iv</b>
<b>Acknowledgements</b>	<b>xviii</b>
<b>Acronyms and Abbreviations</b>	<b>xix</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Previous works . . . . .	3
1.2 Aim of thesis . . . . .	7
1.2.1 Specific Objectives . . . . .	8
1.3 Contributions . . . . .	9
1.3.1 Publications . . . . .	10
1.4 Organization of this document . . . . .	11
<b>2 Theoretical Background</b>	<b>12</b>
2.1 Epilepsy . . . . .	12
2.1.1 Electroencephalogram (EEG) . . . . .	14

---

2.1.2	Recording EEG . . . . .	15
2.1.3	EEG Sub-bands . . . . .	18
2.2	Wavelet Transforms . . . . .	20
2.2.1	The Fourier Transform (FT) . . . . .	21
2.2.2	The Continuous Wavelet Transform (CWT) . . . . .	22
2.2.3	Translation and Scaling Parameters . . . . .	23
2.2.4	The Discrete Wavelet Transform (DWT) . . . . .	24
2.2.5	The Maximal Overlap Discrete Wavelet Transform (MODWT) . . . . .	26
2.3	Wavelet Neural Networks . . . . .	28
2.3.1	One-Dimensional Wavelet Neural Network. . . . .	30
2.3.2	Multidimensional Wavelet Neural Network. . . . .	32
2.3.3	Learning Algorithm. . . . .	33
2.4	Discussion . . . . .	35
<b>3</b>	<b>Proposed Model for Analysing EEG Signals</b>	<b>37</b>
3.1	Introduction . . . . .	37
3.2	Experimental Data EEG. . . . .	38
3.3	Preprocessing. . . . .	39
3.4	Feature extraction. . . . .	40
3.5	Wavelet selection. . . . .	41
3.6	Multi-class Classification of EEG Signals. . . . .	49

---

3.7	Discussion. . . . .	53
<b>4</b>	<b>Multidimensional Radial Wavelon - Feed-Forward Wavelet Neural Network (MRW-FFWNN)</b>	<b>55</b>
4.1	Description of the MRW-FFWNN. . . . .	55
4.2	Learning algorithm of the MRW-FFWNN. . . . .	59
4.2.1	Pseudocode of learning algorithm. . . . .	63
4.3	Mother Wavelet Functions. . . . .	65
4.4	Classifiers based on neural networks and wavelet-based neural networks.	66
4.4.1	Classifier 1: FF-ANN. . . . .	69
4.4.2	Classifier 2: Elman Network. . . . .	70
4.4.3	Classifier 3: FFWNN. . . . .	71
4.4.4	Classifier 4: MRW-FFWNN. . . . .	71
4.4.5	Classifier 5: SRWNN. . . . .	72
4.4.6	Classifier 6: MRW-SRWNN. . . . .	73
4.5	Discussion. . . . .	74
<b>5</b>	<b>Experimental results</b>	<b>76</b>
5.1	Performance evaluation . . . . .	76
5.2	Training and testing sets . . . . .	77
5.3	Results: FFANN and Elman classifiers . . . . .	79
5.4	Results: Binary tree classifier . . . . .	80

---

5.5	Results: OVO Decomposition . . . . .	81
5.6	Discussion . . . . .	84
<b>6</b>	<b>Conclusions and Future work</b>	<b>88</b>
6.1	Conclusions . . . . .	88
6.2	Future work . . . . .	90
	<b>Appendixes</b>	<b>92</b>
<b>A</b>	<b>Experimental results by criterion 1</b>	<b>92</b>
A.1	Results of the classification of three classes of EEG signals based on FF-ANN and Elman classifiers by decomposition using the criterion 1.	93
A.2	Results of the classification of three classes of EEG signals based on WNN classifiers using a binary-tree strategy with wavelet decompo- sition by criterion 1. . . . .	96
A.3	Results of the classification of three classes of EEG signals based on WNN classifiers using VOTE and WV in a OVO scheme with wavelet decomposition by criterion 1. . . . .	96
<b>B</b>	<b>Experimental results by criterion 2</b>	<b>106</b>
B.1	Results of the classification of three classes of EEG signals based on FF-ANN and Elman classifiers with wavelet decomposition by crite- rion 2. . . . .	107
B.2	Results of the classification of three classes of EEG signals based on WNN classifiers using a binary-tree strategy with wavelet decompo- sition by criterion 2. . . . .	110

---

B.3 Results of the classification of three classes of EEG signals based on WNN classifiers using VOTE and WV in a OVO scheme with wavelet decomposition by criterion 2. . . . .	110
---	-----

# LIST OF FIGURES

---

2.1	A sagittal view of electrode placement according to the international 10-20 system [TAN11]. . . . .	16
2.2	An axial view of electrode placement according to the international 10-20 system [TAN11]. . . . .	17
2.3	Characteristic EEG rhythms, from the top: $\delta$ (0-4 Hz), $\theta$ (4-8 Hz), $\alpha$ (8-12 Hz), $\beta$ (12-30 Hz). The lowest trace-EEG during epileptic seizure, note that the amplitude scale is an order of magnitude bigger than non-epileptic states [BLI06]. . . . .	18
2.4	Wavelet decomposition of MODWT. The wavelet coefficients $\{d_{j,n}^{(M)}\}$ and scaling coefficients $\{c_{j,n}^{(M)}\}$ are computed by cascading convolutions with filter $\{\tilde{h}_{j,l}, \tilde{g}_{j,l}\}$ [ALA09]. . . . .	28
2.5	Structure of a Wavelet Neural Network [VEI05]. . . . .	29
2.6	A Wavelet Neuron [VEI05]. . . . .	30
2.7	A Wavelet Network [VEI05]. . . . .	31
2.8	A Wavelet Neuron with a Multidimensional Wavelet Activation Function [VEI05]. . . . .	33
3.1	General block diagram of proposed approach. . . . .	38

---

3.2	Filtered signals EEG by a FIR Least Squares filter and its frequency spectrum of: a) Healthy subject, b) Interictal subject, c) Ictal subject. Upper plots are samples from EEG signals and the lower plots show the frequency components of these EEG signals. . . . .	40
3.3	Average of correlation coefficients with different orders of Daubechies wavelet filters for Ictal, Interictal and Healthy EEG signals. . . . .	43
3.4	Average of correlation coefficients with different orders of Coiflet wavelet filters for Ictal, Interictal and Healthy EEG signals. . . . .	43
3.5	Average of correlation coefficients with different orders of Symlet wavelet filters for Ictal, Interictal and Healthy EEG signals. . . . .	44
3.6	Number of times with the best correlation coefficient using different orders of Daubechies wavelet filters and Ictal, Interictal and Healthy EEG signals. . . . .	44
3.7	Number of times with the best correlation coefficient using different orders of Coiflet wavelet filters and Ictal, Interictal and Healthy EEG signals. . . . .	45
3.8	Number of times with the best correlation coefficient using different orders of Symlet wavelet filters and Ictal, Interictal and Healthy EEG signals. . . . .	45
3.9	Decomposition of EEG in physiological sub-bands by DWT. This figure shows the name of sub-bands and its respective frequency ranges [JUA13b]. . . . .	47
3.10	Decomposition of EEG in physiological sub-bands by MODWT. This figure shows the name of sub-bands and its respective frequency ranges [JUA13b]. . . . .	47

---

3.11	Delta and Alpha sub-bands of an EEG signal by MODWT (Coif3) of an Ictal subject. The graphs on the left side show the obtained sub-bands and the graphs on the right side show its corresponding frequency spectrum. . . . .	48
3.12	Delta and Alpha sub-bands of an EEG signal by MODWT (Coif5) of an Interictal subject. The graphs on the left side show the obtained sub-bands and the graphs on the right side show its corresponding frequency spectrum. . . . .	48
3.13	Delta and Alpha sub-bands of an EEG signal obtained by MODWT (Db6) of a Healthy subject. The graphs on the left side show the obtained sub-bands and the graphs on the right side show its corresponding frequency spectrum. . . . .	49
3.14	Binary-tree using the evaluation order: Interictal-Healthy-Ictal (In-H-Ic). . . . .	52
4.1	The MRW unit. . . . .	56
4.2	The proposed MRW-FFWNN structure. . . . .	57
4.3	Flowchart of the learning algorithm. . . . .	64
4.4	Mother Wavelet functions. a) Mexican hat wavelet. b) Derivative of the Gaussian wavelet. c) Morlet wavelet. . . . .	66
4.5	FF-ANN architecture. . . . .	70
4.6	Elman Network architecture. . . . .	70
4.7	The FFWNN architecture. . . . .	72
4.8	The SRWNN architecture [SUN05]. . . . .	73
4.9	The MRW-SRWNN architecture [ALA14], [SUN07]. . . . .	74



# LIST OF TABLES

---

1.1	Relevant works related to detection of epilepsy evaluated with the Bonn's database [GOM14]. . . . .	4
2.1	Frequency sub-bands from an EEG signal. . . . .	20
3.1	Summary of the EEG data collection provided by the University of Bonn [BON16], [AND01]. . . . .	39
3.2	Wavelet selected for feature extraction by criteria 1 and 2. . . . .	46
4.1	Partial derivatives for the proposed model MRW-FFWNN. . . . .	63
4.2	Parameters for classifiers used to identify EEG signals. . . . .	69
5.1	Class distributions of the samples in the training and testing data sets for classifiers FFANN and Elman Network. . . . .	78
5.2	Class distributions of the samples in the training and testing data sets for ictal binary classifier based on WNN. . . . .	78
5.3	Results obtained using the FF-ANN and Elman classifiers with wavelet decomposition to identify EEG signals by criterion 1. . . . .	80
5.4	Results obtained using the FF-ANN and Elman classifiers with wavelet decomposition to identify EEG signals by criterion 2. . . . .	80

---

5.5	Best results of the classification of EEGs based on WNN using binary-tree structures with wavelet decomposition by criterion 1. . . . .	82
5.6	Best results of the classification of EEGs based on WNN using binary-tree structures with wavelet decomposition by criterion 2. . . . .	83
5.7	Results of the classification of EEGs based on WNN using VOTE and WV strategies in a OVO decomposition scheme with wavelet decomposition by criterion 1. . . . .	84
5.8	Results of the classification of EEGs based on WNN using VOTE and WV strategies in a OVO decomposition scheme with wavelet decomposition by criterion 2. . . . .	85
5.9	Studies reporting automated detection of three classes of EEG signals using (Z, F, S) same database reported in this work. . . . .	87
A.1	Results of the classification of three classes of EEG signals based on FF-ANN with Sigmoid and Hyperbolic tangent as activation functions with wavelet decomposition by criterion 1. . . . .	94
A.2	Results of the classification of three classes of EEG signals based on Elman with Sigmoid and Hyperbolic tangent as activation functions with wavelet decomposition by criterion 1. . . . .	95
A.3	Classification of EEGs based on WNN with binary-tree structure: Ictal-Interictal-Healthy (Ic-In-H) by criterion 1. . . . .	97
A.4	Classification of EEGs based on WNN using binary-tree structure: Ictal-Healthy-Interictal (Ic-H-In) with wavelet decomposition by criterion 1. . . . .	98

---

A.5	Classification of EEGs based on WNN using binary-tree structure: Interictal-Ictal-Healthy (In-Ic-H) with wavelet decomposition by criterion 1. . . . .	99
A.6	Classification of EEGs based on WNN using binary-tree structure: Interictal-Healthy-Ictal (In-H-Ic) with wavelet decomposition by criterion 1. . . . .	100
A.7	Classification of EEGs based on WNN using binary-tree structure: Healthy-Ictal-Interictal (H-Ic-In) with wavelet decomposition by criterion 1. . . . .	101
A.8	Classification of EEGs based on WNN using binary-tree structure: Healthy-Interictal-Ictal (H-In-Ic) with wavelet decomposition by criterion 1. . . . .	102
A.9	Classification of EEGs based on WNN using Vote strategy (VOTE) in a OVO decomposition scheme with wavelet decomposition by criterion 1. . . . .	104
A.10	Classification of EEGs based on WNN using Weighted voting strategy (WV) in a OVO decomposition scheme with wavelet decomposition by criterion 1. . . . .	105
B.1	Results of the classification of three classes of EEG signals based on FF-ANN using Sigmoid and Hyperbolic tangent as activation functions with wavelet decomposition by criterion 2. . . . .	108
B.2	Results of the classification of three classes of EEG signals based on Elman using Sigmoid and Hyperbolic tangent as activation functions with wavelet decomposition by criterion 2. . . . .	109

---

B.3	Classification of EEGs based on WNN using binary-tree structure: Ictal-Interictal-Healthy (Ic-In-H) with wavelet decomposition by criterion 2. . . . .	111
B.4	Classification of EEGs based on WNN using binary-tree structure: Ictal-Healthy-Interictal (Ic-H-In) with wavelet decomposition by criterion 2. . . . .	112
B.5	Classification of EEGs based on WNN using binary-tree structure: Interictal-Ictal-Healthy (In-Ic-H) with wavelet decomposition by criterion 2. . . . .	113
B.6	Classification of EEGs based on WNN using binary-tree structure: Interictal-Healthy-Ictal (In-H-Ic) with wavelet decomposition by criterion 2. . . . .	114
B.7	Classification of EEGs based on WNN using binary-tree structure: Healthy-Ictal-Interictal (H-Ic-In) with wavelet decomposition by criterion 2. . . . .	115
B.8	Classification of EEGs based on WNN using binary-tree structure: Healthy-Interictal-Ictal (H-In-Ic) with wavelet decomposition by criterion 2. . . . .	116
B.9	Classification of EEGs based on WNN using Vote strategy (VOTE) in a OVO decomposition scheme with wavelet decomposition by criterion 2. . . . .	118
B.10	Classification of EEGs based on WNN using Weighted voting strategy (WV) in a OVO decomposition scheme with wavelet decomposition by criterion 2. . . . .	119