

Referencias

- Zsila, F., Bikádi, Z., & Simonyi, M. (2002). Retinoic acid binding properties of the lipocalin member β -lactoglobulin studied by circular dichroism, electronic absorption spectroscopy and molecular modeling methods. *Biochemical Pharmacology*, 64(11), 1651-1660. [http://dx.doi.org/10.1016/s0006-2952\(02\)01350-3](http://dx.doi.org/10.1016/s0006-2952(02)01350-3)
- Ragona, L., Fogolari, F., Catalano, M., Ugolini, R., Zetta, L., & Molinari, H. (2003). EF Loop Conformational Change Triggers Ligand Binding in β -Lactoglobulins. *Journal Of Biological Chemistry*, 278(40), 38840-38846. <http://dx.doi.org/10.1074/jbc.m306269200>
- Eberini, I., Rocco, A., Mantegazza, M., Gianazza, E., Baroni, A., & Vilaro, M. et al. (2008). Computational and experimental approaches assess the interactions between bovine β -lactoglobulin and synthetic compounds of pharmacological interest. *Journal Of Molecular Graphics And Modelling*, 26(6), 1004-1013. <http://dx.doi.org/10.1016/j.jmgm.2007.08.006>
- Yang, M., Guan, H., Yang, J., Ko, C., Liu, M., & Lin, Y. et al. (2008). Rational Design for Crystallization of β -Lactoglobulin and Vitamin D3Complex: Revealing a Secondary Binding Site†. *Crystal Growth & Design*, 8(12), 4268-4276. <http://dx.doi.org/10.1021/cg800697s>
- Hu, W., Liu, J., Luo, Q., Han, Y., Wu, K., & Lv, S. et al. (2011). Elucidation of the binding sites of sodium dodecyl sulfate to β -lactoglobulin using hydrogen/deuterium exchange mass spectrometry combined with docking simulation. *Rapid Communications In Mass Spectrometry*, 25(10), 1429-1436. <http://dx.doi.org/10.1002/rcm.5012>
- Belatik, A., Kanakis, C., Hotchandani, S., Tarantilis, P., Polissiou, M., & Tajmir-Riahi, H. (2012). Locating the binding sites of retinol and retinoic acid with milk β -lactoglobulin. *Journal Of Biomolecular Structure And Dynamics*, 30(4), 437-447. <http://dx.doi.org/10.1080/07391102.2012.682209>

- Domínguez-Ramírez, L., Del Moral-Ramírez, E., Cortes-Hernández, P., García-Garibay, M., & Jiménez-Guzmán, J. (2013). β -Lactoglobulin's conformational requirements for ligand binding at the Calyx and the Dimer Interphase: A flexible Docking study. *PLoS ONE*, *8*(11), e79530. doi:10.1371/journal.pone.0079530
- Evoli, S., Guzzi, R., & Rizzuti, B. (2014). Molecular simulations of β -lactoglobulin complexed with fatty acids reveal the structural basis of ligand affinity to internal and possible external binding sites. *Proteins: Structure, Function, And Bioinformatics*, *82*(10), 2609-2619. <http://dx.doi.org/10.1002/prot.24625>
- Albani, J. R., Vogelaer, J., Bretesche, L., & Kmiecik, D. (2014). Tryptophan 19 residue is the origin of bovine β -lactoglobulin fluorescence. *Journal of Pharmaceutical and Biomedical Analysis*, *91*, 144–150. doi:10.1016/j.jpba.2013.12.015
- Balbas, P. (2002). *De la biología molecular a la biotecnología/ from molecular biology to biotechnology (Spanish edition)*. México: Editorial Trillas Sa De Cv.
- Bello, M., & García-Hernández, E. (2014). Ligand entry into the calyx of β -lactoglobulin. *Biopolymers*, *101*(7), 744–757. doi:10.1002/bip.22454
- Bello, M., Portillo-Téllez, M. del C., & García-Hernández, E. (2011). Energetics of ligand recognition and self-association of bovine β -lactoglobulin: Differences between variants A and B. *Biochemistry*, *50*(1), 151–161. doi:10.1021/bi1016155
- Bello, M., Pérez-Hernández, G., Fernández-Velasco, D. A., Arreguín-Espinosa, R., & García-Hernández, E. (2007). Energetics of protein homodimerization: Effects of water sequestering on the formation of β -lactoglobulin dimer. *Proteins: Structure, Function, and Bioinformatics*, *70*(4), 1475–1487. doi:10.1002/prot.21639
- Brozell, S. R., Mukherjee, S., Balias, T. E., Roe, D. R., Case, D. A., & Rizzo, R. C. (2012). Evaluation of DOCK 6 as a pose generation and database enrichment tool. *Journal of Computer-Aided Molecular Design*, *26*(6), 749–773. doi:10.1007/s10822-012-9565-y
- Halliday, J. A., Bell, K., McKenzie, H. A., & Shaw, D. C. (1990). Feline whey proteins: Identification, isolation and initial characterization of α -lactalbumin, β -lactoglobulin and lysozyme. *Comparative Biochemistry and Physiology Part B: Comparative Biochemistry*, *95*(4), 773–779. doi:10.1016/0305-0491(90)90316-1
- Kontopidis, G., Holt, C., & Sawyer, L. (2002). The ligand-binding site of bovine β -lactoglobulin: Evidence for a function? *Journal of Molecular Biology*, *318*(4), 1043–1055. doi:10.1016/s0022-2836(02)00017-7
- Loch, J. I., Bonarek, P., Polit, A., Świątek, S., Dziedzicka-Wasylewska, M., & Lewiński, K. (2013). The differences in binding 12-carbon aliphatic ligands by bovine β -lactoglobulin isoform A and B studied by isothermal titration calorimetry and x-ray crystallography. *Journal of Molecular Recognition*, *26*(8), 357–367. doi:10.1002/jmr.2280

- Maojo, V., Martin-Sanchez, F., Billhardt, H., I, I., & C, K. (2003). Establishing an agenda for biomedical informatics. *Methods of information in medicine*, 43(2), 121–125.
- Mensi, A., Choiset, Y., Rabesona, H., Haertlé, T., Borel, P., & Chobert, J.-M. (2013). Interactions of β -lactoglobulin variants A and B with vitamin A. Competitive binding of Retinoids and Carotenoids. *Journal of Agricultural and Food Chemistry*, 61(17), 4114–4119. doi:10.1021/jf400711d
- Noiseux, I., Gauthier, S. F., & Turgeon, S. L. (2002). Interactions between bovine β -lactoglobulin and peptides under different Physicochemical conditions. *Journal of Agricultural and Food Chemistry*, 50(6), 1587–1592. doi:10.1021/jf010887y
- Papiz, M. Z., Sawyer, L., Eliopoulos, E. E., North, A. C. T., Findlay, J. B. C., Sivaprasadarao, R., ... Kraulis, P. J. (1986). The structure of β -lactoglobulin and its similarity to plasma retinol-binding protein. *Nature*, 324(6095), 383–385. doi:10.1038/324383a0
- Pettersen, E. F., Goddard, T. D., Huang, C. C., Couch, G. S., Greenblatt, D. M., Meng, E. C., & Ferrin, T. E. (2004). UCSF Chimera?A visualization system for exploratory research and analysis. *Journal of Computational Chemistry*, 25(13), 1605–1612. doi:10.1002/jcc.20084
- Qin, B. Y., Bewley, M. C., Creamer, L. K., Baker, H. M., Baker, E. N., & Jameson, G. B. (1998). Structural basis of the Tanford transition of bovine β -lactoglobulin †, ‡. *Biochemistry*, 37(40), 14014–14023. doi:10.1021/bi981016t
- Qvist, J., Davidovic, M., Hamelberg, D., & Halle, B. (2008). A dry ligand-binding cavity in a solvated protein. *Proceedings of the National Academy of Sciences*, 105(17), 6296–6301. doi:10.1073/pnas.0709844105
- Ragona, L., Pusterla, F., Zetta, L., Monaco, H. L., & Molinari, H. (1997). Identification of a conserved hydrophobic cluster in partially folded bovine β -lactoglobulin at pH 2. *Folding and Design*, 2(5), 281–290. doi:10.1016/s1359-0278(97)00039-4
- Sakurai, K., & Goto, Y. (2006). Dynamics and mechanism of the Tanford transition of bovine β -lactoglobulin studied using Heteronuclear NMR spectroscopy. *Journal of Molecular Biology*, 356(2), 483–496. doi:10.1016/j.jmb.2005.11.038
- Sander, T., Freyss, J., von Korff, M., & Rufener, C. (2015). DataWarrior: An open-source program for chemistry aware data visualization and analysis. *Journal of Chemical Information and Modeling*, 55(2), 460–473. doi:10.1021/ci500588j
- Tavel, L., Andriot, I., Moreau, C., & Guichard, E. (2008). Interactions between β -lactoglobulin and aroma compounds: Different binding behaviors as a function of ligand structure. *Journal of Agricultural and Food Chemistry*, 56(21), 10208–10217. doi:10.1021/jf801841u

Trott, O., & Olson, A. J. (2010). AutoDock Vina: Improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *Journal of Computational Chemistry*, 31(2), 455–461. doi:10.1002/jcc.21334