

BIBLIOGRAFÍA

- Abrous, D.N., Koehl, M., Le Moal, M. (2005) Adult neurogenesis: from precursors to network and physiology. *Physiol. Rev.*, 85: 523-569.
- Ahlborn, A., Feychting, M. (2003) Electromagnetic radiation. *Br. Med. Bull.*, 68: 157-165.
- Altman, J., Das, G.D. (1965) Autoradiographic and histological evidence of postnatal hippocampal neurogenesis in rats. *J. Compar. Neurol.*, 124: 319– 335.
- Alvarez-Buylla, A., García-Verdugo, J.M. (2002) Neurogenesis in adult subventricular zone. *J. Neuroscience*, 22: 629-634.
- Arvidsson, A., Collin, T., Kirik, D., Kokaia, Z., Lindvall, O. (2002) Neuronal replacement from endogenous precursors in the adult brain after stroke. *Nature Med.*, 8: 963-970.
- Arias-Carrión, O., Verdugo-Díaz, L., Feria-Velasco, A., Millán-Aldaco, D., Gutiérrez, A.A., Hernández-Cruz, A., Drucker-Colín, R. (2004) Neurogenesis in the subventricular zone following transcranial magnetic field stimulation and nigrostriatal lesions. *J. Neurosci. Res.*, 78: 16-28.
- Babincová, M., Babinec, P. (en prensa) Dopamine mediated iron release from ferritin is enhanced at higher temperatures: possible implications for fever-induced Parkinson's disease. *J. Magn. Mag. Mat.*

- Berry, C.C., Curtis A. (2003) Functionalisation of magnetic nanoparticles for applications in biomedicine. *J. Phys. D: Appl. Phys.*, 36: R198-R206.
- Bucak, S., Jones, D., Laibinis, P., Hatton, T.A. (2003) Protein separations using colloidal magnetic nanoparticles. *Biotechnol. Prog.*, 19: 477-484.
- Björklund, A., Lindvall, O. (2000) Cell replacement therapies for central nervous system disorders. *Nature Neurosci.*, 3: 537-544.
- Björklund, L.M., Sánchez-Pernaute, R., Chung, S., Andersson, T., Chen, I.Y.C., McNaught, K.S.P., Brownell, A., Jenkins, B.G., Wahlestedt, C., Kim, K., Isacson, O. (2002) Embryonic stem cells develop into functional dopaminergic neurons after transplantation in a Parkinson rat model. *Proc. Natl. Acad. Sci.*, 99: 2344–2349.
- Cajal, S.R. (1910) *Histologie du système nerveux de l'homme et des vertébrés*. (Translated by L. Azoulay). Paris: Maloine.
- Cartmell, S.H., Dobson, J., Verschueren, S.B., El-Haj, A.J. (2003) Development of magnetic particle techniques for long term culture of bone cells with intermittent mechanical stimulation. *IEEE Transactions in Nanobioscience*, 1: 92-97.
- Cui, Z., Lockman, P.R., Atwood, C.S., Hsu, C., Gupte, A., Allen, D.D., Mumper, R.J. (2005) Novel D-penicillamine carrying nanoparticles for metal chelation therapy in Alzheimer's and other CNS diseases. *Europ. J. Pharm. Biopharm.*, 59: 263-272.
- Dobson, J. (2001) Nanoscale biogenic iron oxides and neurodegenerative disease. *FEBS Letters*, 496: 1-5.
- Doetsch, F., Caillé, I., Lim, D.A., García-Verdugo, J.M., Alvarez-Buylla, A. (1999) Subventricular zone astrocytes are neural stem cells in the adult mammalian brain. *Cell*, 97: 703-716.

- Dyal, A., Los, K., Noto, M., Chang, S., Spagnoli, C., Shafi, K., Ulman, A., Cowman, M., Gross, R. (2003) Activity of *Candida rugosa* lipase immobilized on γ -Fe₂O₃ magnetic nanoparticles. *J. Am. Chem. Soc.*, 125: 1684-1685.
- Englund, U., Björklund, A., Wictorin, K. (2002) Migration patterns and phenotypic differentiation of long-term expanded human neural progenitor cells after transplantation into the adult rat brain. *Develop. Brain Res.*, 134: 123-141.
- Eriksson, P.S., Perfilieva, E., Björk-Eriksson, T., Alborn, A.M., Nordborg, C., Peterson, D.A., Gage, F.H. (1998) Neurogenesis in the adult human hippocampus. *Nature Med.*, 4: 1313–1317.
- Feng, J., Shan, G., Maquieira, A., Koivunen, M., Guo, B., Hammock, B., Kenedy, I. (2003) Functionalised europium oxide nanoparticles used as a fluorescent label in an immunoassay for atrazine. *Anal. Chem.*, 75:5282-5286.
- Fu, C., Wang, Y., Chao, Y., Hung, S., Yang, M. (2004) Directly labeling ferrite nanoparticles with Tc-99m radioisotope for diagnostic applications. *IEEE Transactions on Magnetism*, 40: 3003-3005.
- Gage, F.H. (2000) Mammalian neural stem cells. *Science*, 287:1433–1438.
- Giri, J., Thakurta, S.G., Bellare, J., Nigam, A.K., Bahadur, D. (en prensa) Preparation and characterization of phospholipid stabilized uniform sized magnetite nanoparticles. *J. Magn. Mag. Mat.*
- Glynou, K., Ioannou, P.C., Christopoulos, T.K., Syriopoulou, V. (2003) Oligonucleotide-functionalized gold nanoparticles as probes in a dry-reagent strip biosensor for DNA analysis by hybridization. *Anal. Chem.*, 75: 4155-4160.

- Gould, E., Reeves, A.J., Graziano, M.S., Gross, C.G. (1999) Neurogenesis in the neocortex of adult primates. *Science*, 286: 548-552.
- Green-Sadan, T., Kuttner, Y., Lublin-Tennenbaum, T., Kinor, N., Boguslavsky, Y., Margel, S., Yadid, G. (en prensa) Glial cell line-derived neurotrophic factor-conjugated nanoparticles suppress acquisition of cocaine self-administration in rats. *Experim. Neurol.*
- Gu, H., Ho, P., Tsang, K., Wang, L., Xu, B. (2003) Using biofunctional magnetic nanoparticles to capture vancomycin-resistant enterococci and other Gram-positive bacteria at ultralow concentration. *J. Am. Chem. Soc.*, 125:15702-15703.
- Gupta, A.K., Curtis, A.S.G. (2004) Lactoferrin and ceruloplasmin derivatized superparamagnetic iron oxide nanoparticles for targeting cell surface receptors. *Biomaterials*, 24: 3029-3040.
- Gupta, A.K., Gupta, M. (2005) Synthesis and surface engineering of iron oxide nanoparticles for biomedical applications. *Biomaterials*, 26:3995-4021.
- Hirao, K., Sugita, T., Kubo, T., Igarashi, K., Tanimoto, K., Murkami, T., Yasunaga, Y., Ochi, M. (2003) Targeted gene delivery to human osteosarcoma cells with magnetic cationic liposomes under a magnetic field. *Int. J. Oncol.*, 22: 1065-1071.
- Ishii, F., Nii, T. (2005) Properties of various phospholipid mixtures as emulsifiers or dispersing agents in nanoparticle drug carrier preparations. *Colloids and Surfaces B: Biointerfaces*, 41: 257-262.
- Ito, A., Takizawa, Y., Honda, H., Hata, K., Kagami, H., Ueda, M., Kobayashi, T. (2004) Tissue engineering using magnetite nanoparticles and magnetic force: heterotypic

- layers of cocultured hepatocytes and endothelial cells. *Tissue Engineering*, 10: 833-840.
- Jacobs, B.L. (2002) Adult brain neurogenesis and depression. *Brain, Behavior, and Immunity*, 16:602-609.
- Kim, D.K., Toprak, M., Mikhailova, M., Zhang, Y., Bjelke, B., Kehr, J., Muhamed, M. (2002) Surface modification of superparamagnetic nanoparticles for *in-vivo* biomedical applications. *Mat. Res. Soc.*, 704:W11.2.1-W11.2.6.
- Kim, J.H., Auerbach, J.M., Rodríguez-Gómez, J.A., Velasco, I., Gavin, D., Lumelsky, N., Lee, S., Nguyen, J., Sánchez-Pernaute, R., Bankiewicz, K., McKay, R. (2002) Dopamine neurons derived from embryonic stem cells function in an animal model of Parkinson's disease. *Nature*, 418: 50-56.
- Koch, A.M., Reynolds, F., Kircher, M.F., Merkle, H.P., Weissleder, R., Josephson, L. (2003) Uptake and metabolism of a dual fluorochrome Tat-nanoparticle in HeLa cells. *Bioconjugate Chem.*, 14:1115-1121.
- Kohler, N., Fryxell, G.E., Zhang, M. (2004) A bifunctional poly(ethylene glycol) silane immobilized on metallic oxide-based nanoparticles for conjugation with cell targeting agents. *J. Am. Chem. Soc.*, 126: 7206-7211.
- Kokaia, Z., Lindvall, O. (2003) Neurogenesis after ischaemic brain insults. *Curr. Op. Neurobiol.*, 13: 127-132.
- Kubo, T., Sugita, T., Shimose, S., Nitta, Y., Ikuta, Y., Murakami, T. (2001) Targeted systemic chemotherapy using magnetic liposomes with incorporated adriamycin for osteosarcoma in hamsters. *Int. J. Oncol.*, 18: 121-125.

- Levy, Y.S., Stroomza, M., Melamed, E., Offen, D. (2004) Embryonic and adult stem cells as a source for cell therapy in Parkinson's disease. *J. Mol. Neurosci.*, 24: 353-385.
- Lewin, M., Carlesso, N., Tung, C., Tang, X., Cory, D., Scadden, D.T., Weissleder, R. (2000) Tat peptide-derivatized magnetic nanoparticles allow in vivo tracking and recovery of progenitor cells. *Nature Biotech.*, 18: 410-414.
- Lim, D.A., Flames, N., Collado, L., Herrera, D.G. (2002) Investigating the use of primary adult subventricular zone neural precursor cells for neuronal replacement therapies. *Brain Res. Bull.*, 57: 759-764.
- Lockman, P.R., Oyewumi, M.O., Koziara, J.M., Roder, K.E., Mumper, R.J., Allen, D.D. (2003) Brain uptake of thiamine-coated nanoparticles. *J. Controlled Release*, 93: 271-282.
- Mackowiak, M., Chocyk, A., Markowicz-Kula, K., Wedzony, K. (2004) Neurogenesis in the adult brain. *Pol. J. Of Pharmacol.*, 56: 673-687.
- Magavi, S.S., Leavitt, B.R., Macklis, J.D. (2000) Induction of neurogenesis in the neocortex of adult mice. *Nature*, 405: 951-955.
- Magnitsky, S., Watson, D.J., Walton, R.M., Pickup, S., Bulte, J.W.M, Wolfe, J.H., Poptani, H. (in press) In vivo and ex vivo MRI detection of localized and disseminated neural stem cell grafts in the mouse brain. *Neuroimage*.
- Merkle, F.T., Tramontin, A.D., García-Verdugo, J.M., Alvarez-Buylla, A. (2004) Radial glia give rise to adult neural stem cells in the subventricular zone. *Proc. Natl. Acad. Sci.*, 101: 17528-17532.

- Mykhaylyk, O., Cherchenko, A., Ilkin, A., Dudchenko, N., Ruditsa, V., Novoseletz, M., Zozulya, Y. (2001) Glial brain tumor targeting of magnetite nanoparticles in rats. *J. Magn. Mag. Mat.*, 225:241-247.
- Olanow, C.W., Youdim, M.B.H. (1996) “Iron and neurodegeneration: prospects for neuroprotection”, Neurodegeneration and neuroprotection in Parkinson’s disease (Olanow, C.W., Jenner, P., Youdim, M.B.H., eds.). San Diego: Academic Press, pp. 55-67.
- Pankhurst, Q.A., Connolly, J., Jones, S.K., Dobson, J. (2003) Applications of magnetic nanoparticles in biomedicine. *J. Phys. D: Appl. Phys.*, 36:R167-R181.
- Pérez, J., Simeone, F.J., Saeki, Y., Josephson, L., Weissleder, R. (2003) Viral-induced self-assembly of magnetic nanoparticles allows the detection of viral particles in biological media. *J. Am. Chem. Soc.*, 125:10192-10193.
- Petri-Fink, A., Chastellain, M., Juillerat-Jeanneret, L., Ferrari, A., Hofmann, H. (2005) Development of functionalized superparamagnetic iron oxide nanoparticles for interaction with human cancer cells. *Biomaterials*, 26: 2685–2694.
- Purves, D., Augustine, G.J., Fitzpatrick, D., Katz, L.C., Lamantia, A., McNamara, J.O., Williams, M. (eds.), (2001) Neuroscience (2da. edición). Massachusetts: Sinauer Associates.
- Qu, S., Yang, H., Ren, D., Kan, S., Zou, G., Li, D., Li, M. (1999) Magnetite nanoparticles prepared by precipitation from partially reduced ferric chloride aqueous solutions. *J. Colloid Interface Sci.*, 215:190-192.
- Rossi, L.M., Quach, A.D., Rosenzweig, Z. (2004) Glucose oxidase–magnetite nanoparticle bioconjugate for glucose sensing. *Anal. Bioanal. Chem.*, 380: 606-613.

- Safarik, I., Mucha, P., Pechoc, J., Stoklasa, J., Safarikova, M. (2001) Separation of magnetic affinity biopolymer adsorbents in a Davis tube magnetic separator. *Biotech. Lett.*, 23: 851-855.
- Sanai, N., Tramontin, A.D., Quiñones-Hinojosa, A., Barbaro, N.M., Gupta, N., Kunwar, S., Lawton, M.T., McDermott, M.W., Parsa, A.T., García-Verdugo, J.M., Berger, M.S., Alvarez-Buylla, A. (2004) Unique astrocyte ribbon in adult human brain contains neural stem cells but lacks chain migration. *Nature*, 427: 740-744.
- Shan, G.B., Xing, J.M., Luo, M.F., Liu, H.Z., Chen, J.Y. (2003) Immobilization of *Pseudomonas delafieldii* with magnetic polyvinyl alcohol beads and its application in biodesulfurization. *Biotechnol. Lett.*, 25: 1977-1981.
- Shihabuddin, L.S., Horner, P.J., Ray, J., Gage, F.H. (2000) Adult spinal cord stem cells generate neurons after transplantation in the adult dentate gyrus. *J. Neurosci.* 20:8727-8735.
- Si, S., Kotal, A., Mandal, T.K., Giri, S., Nakamura, H., Kohara, T. (2004) Size-controlled synthesis of magnetite nanoparticles in the presence of polyelectrolytes. *Chem. Mater.*, 16: 3489-3496.
- Spassky, N., Merkle, F.T., Flames, N., Tramontin, A.D., García-Verdugo, J.M., Alvarez-Buylla, A. (2005) Adult ependymal cells are postmitotic and are derived from radial glial cells during embryogenesis. *J. Neurosci.*, 25: 10-18.
- Stella, B., Arpicco, S., Peracchia, M.T., Desmaele, D., Hoebeke, J., Renoir, M., D'Angelo, J., Cattel, L., Couvreur, P. (2000) Design of folic acid-conjugated nanoparticles for drug targeting. *J. Pharm. Sci.*, 89: 1452-1464.
- Temple, S. (2001) The development of neural stem cells. *Nature*, 414:112-117.

- Tartaj, P., Morales, M., Veintemillas-Verdaguer, S., González-Carreño, T., Serna, C.J. (2003) The preparation of magnetic nanoparticles for applications in biomedicine. *J. Phys. D: Appl. Phys.*, 36:R182-R197.
- Taylor, S., Qu, L., Kitaygorodskiy, A., Teske, J., Latour, R., Sun, Y. (2004) Synthesis and characterization of peptide-functionalised polymeric nanoparticles. *Biomacromolecules*, 5:245-248.
- Weissleder, R., Moore, A., Mahmood, U., Bhorade, R., Benveniste, H., Chiocca, E., Basilion, J.B. (2000) In vivo MR imaging of transgene expression. *Nature Med.*, 6: 351-355.
- Weyermann, J., Lochmann, D., Georgens, C., Zimmer, A. (2005) Albumin-protamine-oligonucleotide-nanoparticles as a new antisense delivery system. Part 2: cellular uptake and effect. *Europ. J. Pharm. Biopharm.*, 59: 431-438.
- Zhang, L., Hou, S., Mao, S., Wei, D., Song, X., Lu, Y. (2004) Uptake of folate-conjugated albumin nanoparticles to the SKOV3 cells. *Intl. J. Pharm.*, 287: 155-162.
- Zhang, R.L., Zhang, L., Zhang, Z.G., Morris, D., Jiang, Q., Wang, L., Zhang, L.J., Chopp, M. (2003) Migration and differentiation of adult rat subventricular zone progenitor cells trasplanted into the adult rat striatum. *Neuroscience*, 116: 373-382.
- Zhang, Y., Kohler, N., Zhang, M. (2002) Surface modification of superparamagnetic magnetite nanoparticles and their intracellular uptake. *Biomaterials*, 23:1553-1561.
- Zhang, Y., Zhang, J. (2005) Surface modification of monodisperse magnetite nanoparticles for improved intracellular uptake to breast cancer cells. *J. Colloid Interface Sci.*, 283: 352-357.

- Zhang, Z.G., Jiang, Q., Zhang, R., Zhang, L., Wang, L., Zhang, L., Arniego, P., Ho, K., Chopp, M. (2003) Magnetic resonance imaging and neurosphere therapy of stroke in rat. *Ann. Neurol.*, 53: 259-263.
- Zhao, M., Beauregard, D.A., Loizou, L., Davletov, B., Brindle, K.M. (2001) Non-invasive detection of apoptosis using magnetic resonance imaging and a targeted contrast agent. *Nature Med.*, 7: 1241-1244.
- Zhao, M., Kircher, M., Josephson, L., Weissleder, R. (2002) Differential conjugation of Tat peptide to superparamagnetic nanoparticles and its effect on cellular uptake. *Bioconjugate Chem.*, 13:840-844.
- Zhao, M., Momma, S., Delfani, K., Carlén, M., Cassidy, R.M., Johansson, C.B., Brismar, H., Shupliakov, O., Frisén, J., Janson, A.M. (2003) Evidence for neurogenesis in the adult mammalian substantia nigra. *Proc. Natl. Acad. Sci.*, 100: 7925-7930.