

Referencias

- Adams DJ, Smith SJ, Thompson SH. 1980 Ionic currents in molluscan soma. *Annu Rev Neurosci.* **3**: 141-167.
- Aguilar Roblero, R, Diaz Muñoz, M. 2010. Chronostatic adaptations in the liver to restricted feeding: The FEO as emergent oscillator. *Sleep and Biological Rhythms* **8**: 9-17.
- Akashi M, Nishida E. 2000. Involvement of the MAP kinase cascade in resetting of the mammalian circadian clock. *Genes Dev*, **14**: 645–649
- Alexander DB and Goldberg GS 2003. Transfer of biologically important molecules between cells through gap junction channels. *Curr Med Chem.* **10**: 2045–2058.
- Almanza A, Mercado F, Vega R, Soto E. 2008. Extracellular pH modulates the voltage-dependent Ca²⁺ current and low threshold K⁺ current in hair cells. *Neurochem Res* **33**:1435-1441.
- Balsalobre A, Brown SA, Marcacci L, Tronche F, Kellendonk C, Reichardt HM, Schutz G, Schibler U, 2000 Resetting of circadian time in peripheral tissues by glucocorticoid signaling. *Science*, **289**, 2344–2347
- Barritt GJ, Chen J, Rychkov GY. 2008. Ca²⁺ permeable channels in the hepatocyte plasma membrane and their roles in hepatocyte physiology. *Biochim Biophys Acta* **1783**:651-672.
- Bartness TJ, Song CK, Demas G E. 2001 SCN efferents to peripheral tissues: implications for biological rhythms. *J. Biol. Rhythms* **16**: 196–204.
- Bunger MK, Wilsbacher LD, Moran SM, Clendenin C, Radcliffe LA, Hogenesch JB, Simon MC, Takahashi JS, Bradfield CA. 2000 Mop3 is an essential component of the master circadian pacemaker in mammals. *Cell* **103**: 1009–1117
- Burgess GM, Claret M, Jenkinson DH. 1981. Effects of quinine and apamin on the calcium-dependent potassium permeability of mammalian hepatocytes and red cells. *J Physiol* **317**:67-90.
- Damiola F, Le Minh N, Preitner N, Kornmann B, Fleury-Olela F, Schibler U. 2000 Restricted feeding uncouples circadian oscillators in peripheral tissues from the central pacemaker in the suprachiasmatic nucleus. *Genes Dev*, **14**, 2950–2961

- Derst C, Karschin A. 1998. Evolutionary link between prokaryotic and eukaryotic K⁺ channels. *J Exp Biol* **201**:2791-2799.
- Gibbons JH. (1991). Biological rhythms: Implications for the worker. *Washington D.C: U.S Government printing office.* **3**
- Hamill OP, Marty A, Neher E, Sakmann B, Sigworth FJ. 1981 Improved patch-clamp techniques for high-resolution current recording from cells and cell-free membrane patches. *Pflugers Arch.* **391**: 85-100.
- Hille B. 2001. Ion Channels Of Excitable Membranes. *Sunderland, Massachusetts, USA: SINAUER ASSOCIATES.*
- Hara R, Wan K, Wakamatsu H, Aida R, Moriya T, Akiyama M, Shibata S. 2001. Restricted feeding entrains liver clock without participation of the suprachiasmatic nucleus. *Genes Cells* **6**: 269–278
- Haus E, Halberg F. 1966. Persisting circadian rhythm in hepatic glycogen of mice during inanition and dehydration. *Experientia* **22**: 113–114
- Healthline. 2008. Retrieved October 8, 2015, from <http://www.healthline.com/human-body-maps/liver>.
- Inouye ST, 1982. Ventromedial hypothalamic lesions eliminate anticipatory activities of restricted daily feeding schedules in the rat. *Brain Res.* **250**: 183
- Jean HD, Fasel HB, Heinz-Otto Peitgen and Pietro E. Majno. 2007. Macroscopic anatomy of the liver. In Juan Rodés MD J-PBM, Andres T. Blei MD, Jürg Reichen MD and Mario Rizzetto MD, editors. Textbook of Hepatology; From Basic Science to Clinical Practice. *Massachusetts, USA: Blackwell Publishing Ltd*, **3**: 2095.
- Jones BF, Boyles RR, Hwang SY, Bird GS, Putney JW. 2008. Calcium influx mechanisms underlying calcium oscillations in rat hepatocytes. *Hepatology* **48**:1273-81.
- King DP, 1997. Positional cloning of the mouse circadian clock gene. *Cell* **89**: 641–653
- Krieger DT, 1974. Food and water restriction shifts corticosterone, temperature, activity and brain amine periodicity. *Endocrinology* **95**: 1195.
- Kume K, Zylka MJ, Sriram S, Shearman LP, Weaver DR, Jin X, Maywood ES, Hastings MH, Reppert SM. 1999 mCRY1 and mCRY2 are essential components of the negative limb of the circadian clock feedback loop. *Cell* **98**: 193–205.
- Le Minh N, Damilola F, Tronche F, Schutz G, Schibler U. 2001 Glucocorticoids inhibit food-induced phase-shifting in peripheral circadian oscillators. *EMBO J.* **20**: 7128–7136.
- Saper CB, Fuller PM. 2015. Inducible Clocks: Living in an Unpredictable World. *Cold Spring Harbor Symposia on Quantitative Biology*, **72**: 543-550.
- Loewenstein WR, Kanno Y. 1967. Intercellular communication and tissue growth. I. Cancerous

- growth. *J Cell Biol.* **33**: 225–234.
- Lowrey PL, Shimomura K, Antoch MP, Yamazaki S, Zemenides PD, Ralph MR, Menaker M Takahashi JS. 2000. Positional syntenic cloning and functional characterization of the mammalian circadian mutation tau. *Science*, **288**: 483–492.
- Lutz TA, Estermann A, Haag S, Scharrer E. 2001. Depolarization of the liver cell membrane by metformin. *Biochim Biophys Acta* **1513**:176-84.
- Mistlberger RE, and Rechtschaffen A, 1984. Recovery of anticipatory activity to restricted feeding in rats with ventromedial hypothalamic lesions. *Physiol. Behav.* **33**: 227.
- Mistlberger RE, Antle MC, Miller JD. 2000, January. Behavioral and serotonergic regulation of circadian rhythms. *Biological Rhythm Research*, **31**: 240-283.
- Reppert SM, Weaver DR. 2001. Molecular analysis of mammalian circadian rhythms. *Ann.Rev.Physiol*, **63**: 647-676.
- Reppert SM, Weaver DR 2002, August. Coordination of circadian timing in mammals. *Nature*, **418**: 935-941.
- Rutter J, Reick M, Wu LC, McKnight SL. 2001. Regulation of clock and NPAS2 DNA binding by the redox state of NAD cofactors. *Science* **293**: 510.
- Stephan FK. (2002). The "Other" Circadian System: Food as a Zeitgeber. *Journal of Biological Rhythms*, **17**:284-292.
- Stutzin A, Hoffmann EK. 2006. Swelling-activated ion channels: functional regulation in cell-swelling, proliferation and apoptosis. *Acta Physiol (Oxf)* **187**:27-42.
- Tahara Y, Shibata S. 2013. Chronobiology and nutrition. *Neuroscience* **253**: 78–88
- Tei H, Okamura H, Shigeyoshi Y, Fukuhara C, Ozawa R, Hirose M, Sakaki Y, 1997. Circadian oscillation of a mammalian homologue of the *Drosophila* period gene. *Nature*, **389**: 512–516.
- Vinken M, Decrock E, Leybaert L, Bultynck G, Himpens B, Vanhaecke T, and Rogiers V 2012. Non-channel functions of connexins in cell growth and cell death. **Biochim Biophys Acta.** **1818**: 2002–2008.
- Vinken M, Henkens T, Vanhaecke T, Papeleu P, Geerts A, Van Rossen E, Chipman JK, Meda P, and Rogiers V 2006. Trichostatin a enhances gap junctional intercellular communication in primary cultures of adult rat hepatocytes. *Toxicol Sci.* **91**: 484–492.
- Yamazaki S. 2000 Resetting central and peripheral circadian oscillators in transgenic rats. *Science*, **288**: 682–685.
- Zheng B, Larkin DW, Albrecht U, Sun ZS, Sage M, Eichele G, Lee CC, Bradley A. 1999 The *mPer2* gene encodes a functional component of the mammalian circadian clock. *Nature*, **400**:169–173.