

## **ANEXO C**

-PSS *THAT ONE SET ANEXO*

Correlation Matrix

		F15	F16	F17	F18	F19	F20	F21	F22	F23	F24	F25	F26
Correlation	F15	1.000	.149	.360	.444	.324	.184	.590	.307	.402	.408	.506	.321
	F16	.149	1.000	-.124	.087	-.208	.093	.092	-.078	.112	.055	-.096	-.167
	F17	.360	-.124	1.000	.345	.541	.126	.406	.435	.204	.299	.508	.489
	F18	.444	.087	.345	1.000	.287	.220	.439	.204	.242	.529	.322	.154
	F19	.324	-.208	.541	.287	1.000	-.128	.374	.542	.137	.380	.512	.647
	F20	.184	.093	.126	.220	-.128	1.000	.098	.072	.091	.095	.052	-.012
	F21	.590	.092	.406	.439	.374	.098	1.000	.490	.394	.403	.584	.397
	F22	.307	-.078	.435	.204	.542	.072	.490	1.000	.170	.375	.579	.596
	F23	.402	.112	.204	.242	.137	.091	.394	.170	1.000	.354	.391	.135
	F24	.408	.055	.299	.529	.380	.095	.403	.375	.354	1.000	.376	.229
	F25	.506	-.096	.508	.322	.512	.052	.584	.579	.391	.376	1.000	.468
	F26	.321	-.167	.489	.154	.647	-.012	.397	.596	.135	.229	.468	1.000

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings			Rotation Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	4.607	38.393	38.393	4.607	38.393	38.393	3.679	30.661	30.661
2	1.704	14.197	52.590	1.704	14.197	52.590	2.631	21.929	52.590
3	.986	8.213	60.804						
4	.876	7.297	68.101						
5	.809	6.745	74.846						
6	.641	5.341	80.187						
7	.573	4.772	84.959						
8	.477	3.978	88.937						
9	.408	3.404	92.340						
10	.359	2.991	95.331						
11	.292	2.432	97.763						
12	.268	2.237	100.000						

Extraction Method: Principal Component Analysis.

Rotated Component Matrix(a)

	Component	
	1	2
F15	.369	.686
F16	-.385	.486
F17	.681	.236
F18	.239	.683
F19	.844	.030
F20	-.134	.444
F21	.572	.586
F22	.753	.166
F23	.161	.602
F24	.365	.580
F25	.699	.382
F26	.617	-.004

Extraction Method: Principal Component Analysis. Rotation Method: Varimax with Kaiser Normalization.  
a. Rotation converged in 3 iterations.

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Identr	107	5.00	25.00	18.7592	4.08745
dependance	107	10.00	35.00	26.4486	4.59744
attach	107	15.00	58.00	42.6168	7.34545
Valid N (listwise)	107				

F1 \* Identr Crosstabulation

Count		Identr			Total
		1.00	2.00	3.00	
F1	1.00	11	38	8	55
	2.00	3	38	11	52
Total		14	74	19	107

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.019(a)	2	.081
Likelihood Ratio	5.305	2	.070
Linear-by-Linear Association	3.755	1	.053
N of Valid Cases	107		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.80.

F8 \* Identr Crosstabulation

Count		Identr			Total
		1.00	2.00	3.00	
F8	1.00	4	28	8	38
	2.00	5	28	5	39
	3.00	6	20	5	30
Total		14	74	19	107

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.831(a)	4	.920
Likelihood Ratio	.915	4	.922
Linear-by-Linear Association	.127	1	.722
N of Valid Cases	107		

a. 2 cells (22.2%) have expected count less than 5. The minimum expected count is 3.93.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F7 * Identr	107	98.4%	4	3.6%	111	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.393(a)	2	.822
Likelihood Ratio	.389	2	.819
Linear-by-Linear Association	.095	1	.755
N of Valid Cases	107		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.23.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F8 * identr	107	96.4%	4	3.6%	111	100.0%

**F8 \* identr Crosstabulation**

Count		identr			Total
		1.00	2.00	3.00	
F8	1.00	13	70	18	101
	2.00	1	4	1	6
Total		14	74	19	107

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.072(a)	2	.964
Likelihood Ratio	.068	2	.967
Linear-by-Linear Association	.045	1	.832
N of Valid Cases	107		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is .79.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F1 * dependr	107	96.4%	4	3.6%	111	100.0%

**F1 \* dependr Crosstabulation**

Count		dependr			Total
		1.00	2.00	3.00	
F1	1.00	3	44	8	55
	2.00	3	33	18	52
Total		6	77	24	107

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)

Pearson Chi-Square	4.157(a)	2	.125
Likelihood Ratio	4.211	2	.122
Linear-by-Linear Association	2.659	1	.103
N of Valid Cases	107		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.92.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F6 * deper	107	96.4%	4	3.6%	111	100.0%

**F6 \* deper Crosstabulation**

Count		deper			Total
		1.00	2.00	3.00	
F6	1.00	3	30	5	38
	2.00	2	27	10	39
	3.00	1	29	9	30
Total		6	77	24	107

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.484(a)	4	.483
Likelihood Ratio	3.642	4	.457
Linear-by-Linear Association	3.146	1	.076
N of Valid Cases	107		

a. 3 cells (33.3%) have expected count less than 5. The minimum expected count is 1.68.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F7 * deper	107	96.4%	4	3.6%	111	100.0%

**F7 \* deper Crosstabulation**

Count		deper			Total
		1.00	2.00	3.00	
F7	1.00	3	45	19	67
	2.00	3	32	5	40
Total		6	77	24	107

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.790(a)	2	.150
Likelihood Ratio	4.026	2	.134

Linear-by-Linear Association	3,509	1	.061
N of Valid Cases	107		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.24.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F8 * depend	107	96.4%	4	3.6%	111	100.0%

F8 \* depend Crosstabulation

Count		depend			Total
		1.00	2.00	3.00	
F8	1.00	6	73	22	101
	2.00	0	4	2	6
Total		6	77	24	107

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F1 * rangost	107	96.4%	4	3.6%	111	100.0%

F1 \* rangost Crosstabulation

Count		rangost			Total
		1.00	2.00	3.00	
F1	1.00	4	40	11	55
	2.00	2	28	22	52
Total		6	68	33	107

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.372(a)	2	.041
Likelihood Ratio	6.462	2	.040
Linear-by-Linear Association	5.630	1	.016
N of Valid Cases	107		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.92.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F6 * rangost	107	96.4%	4	3.6%	111	100.0%

F6 \* rangost Crosstabulation

Count

		rangoet			Total
		1.00	2.00	3.00	
F6	1.00	1	27	10	38
	2.00	3	23	13	39
	3.00	2	18	10	30
Total		6	68	33	107



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.878(a)	4	.758
Likelihood Ratio	1.993	4	.737
Linear-by-Linear Association	.051	1	.822
N of Valid Cases	107		

a. 3 cells (33.3%) have expected count less than 5. The minimum expected count is 1.68.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F7 * rangoet	107	98.4%	4	3.6%	111	100.0%

F7 \* rangoet Crosstabulation

Count

		rangoet			Total
		1.00	2.00	3.00	
F7	1.00	3	40	24	67
	2.00	3	28	9	40
Total		6	68	33	107



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.287(a)	2	.322
Likelihood Ratio	2.316	2	.314
Linear-by-Linear Association	2.203	1	.138
N of Valid Cases	107		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.24.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
F8 * rangoet	107	96.4%	4	3.6%	111	100.0%

F8 \* rangoet Crosstabulation

Count

		rangpoal			Total
		1.00	2.00	3.00	
FB	1.00	6	85	30	101
	2.00	0	3	3	6
Total		6	88	33	107



FB \* rangpoal Crosstabulation

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.297(a)	2	.523
Likelihood Ratio	1.533	2	.485
Linear-by-Linear Association	1.284	1	.257
N of Valid Cases	107		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is .34.