



BIBLIOGRAFÍA

- Alzamora, S.M., Cerruti P., Guerrero S. and López- Malo A.1995 Minimally Processed fruits by combined methods. In Barbosa- Cánovas G.V. and Welti- Chanes J. (eds), Food Preservation by Moisture Control. Fundamentals and Applications. Lancaster, Pennsylvania: Technomic Publ. Co. pp. 463-492
- Alzamora, S.M., Tapia, M.S., López- Malo, A. 2000. Minimally Processed Fruits and Vegetables. Aspen Publishers, Inc., pp 243-246
- Alzamora, S.M., Tapia, M. S., Argaiz, A. Y Welti, J.1993. Application of combined methods technology in minimally processed fruits. Food Research International 26: 125-130
- Barry, A.L.1976. The Antimicrobial Susceptibility Test: Principles and Practices. Lea & Febinger, Philadelphia., pp 109.
- Beuchat, L.R., y Golden, D.A. 1989. Antimicrobials occurring naturally in foods. Food Technology. 43 (1): 134-142.
- Buchanan, R. L. & Shepherd, A. J. 1981. Inhibition of *Aspergillus parasiticus* by thymol. J. Food Sci. 46, 976-977
- Bullerman, L. B. 1983 Effects of potassium sorbate on growth and aflatoxin production by *Aspergillus parasiticus* y *Aspergillus flavus*. J. Food Prot. 46: 940
- Bullerman, L. B. , Lieu, F. Y. & Seir, S. A. 1977. Inhibition of growth and aflatoxin production by cinnamon and clove oils. Cinnamic aldehyde and eugenol, J. Food Sci, 42:1107-1109, 1116.
- Cerruti, P., Alzamora. , y Vidales, S. 1997. Vanillin as an antimicrobial for producing shelf- stable strawberry puree. Journal Food Science 62 (3): 608-610
- Davidson, PM 1996. Chemical preservatives and antimicrobial compounds. En: Doley MP; Beuchat LR, Montville TJ; eds. Food Microbiology and Frontiers. Washington DC: ASM Press; 1997:520-566
- Ekstrand, B. 1994. Lactoperoxidase and lactoferrin, ch 2. In V.M. Dillon and R. G. Board (ed)., natural antimicrobial systems and food preservation. CAB international, Wallingford, Oxon.
- Farag, R.S., Z.Y. Daw and S.H. Abo-rya. 1989. Influence of Some Spice Essential Oils on *aspergillus parasiticus* Growth and Production of Aflatoxins in a synthetic medium. J. Food Sci. 54: 74
- FDA
- Giese, J.1994, *Antimicrobials: Assuring Food Safety. Food Technology. 48 (6):102-110*
- Gould, G.W.1996. Industry perspectives on the use of natural antimicrobials and inhibitors for food applications. Journal of Food Protection. Supplement. 82-86
- Jay ,. 1992. Modern Food Microbiology. 4ª ed. Van Nostrand Reinhold, N.Y
- Hughey, V.L. and Johnson, E.A. 1987. Antimicrobial activity of lysozyme against bacteria involved in food spoilage and food-borne disease. Appl. Environ. Microbiol. 53:2165
- Ismaiel, A. Y Pierson, M.D. 1990. Inhibition of growth and germination of *C. Botulinum* 33ª, 40 B, and 1623 E by essential oil spices. J. Food Science. 55 (6): 1676-1678
- Jay James M. 1978. Microbiología₁ moderna de los alimentos, ACRIBIA, Zaragoza, España.



-
- Katayama, T. and Nagai, I. 1960. Chemical significance of the volatile components of spice from a food preservative view point. 4. Structure and antibacterial activity of some terpenes. Nippon Suisan Gakkaishi 26:29. Cited from Pruthi (1980) and Chem. Abstr. 55: 6720
 - Klis, W.S.1960. Effectiveness of pimaricin as an alternative to sorbate for the inhibition of yeasts and moulds in foods. Food Technol. 13: 124-132
 - Kobayashi, S., M.Tomita, K.kawase, M. Takease, H.Miyakawa, K.yamauchi, H. Saito,H. abe and S. Shimamura. 1990. Lacteferrin hyfrolysate for use as an antibacterial agent and as a tyrosinase inhibition agent. Eur. Pat. Appl. 90125035.7
 - Liewen, M.B., y Marth, E.H.1985.Growth and inhibition of microorganisms in the presence of sorbic acid. Journal of Food Protection. 48: 364
 - Llewellyn, G. C., Burkett, M. L. & Eadie, T. 1981. Potential mold growth, aflatoxin production and antinicycotic activity of seleted natural spices and herbs. J. Assoc. Off. Anal. Chem. 64: 955-960
 - López- Malo, A. 1995.Efecto de diversos factores sobre la capacidad antimicótica de vainillina, Tesis de Maestría. Universidad de las Americas- Puebla
 - López- Malo, A., Alzamora, S.M. y Argai, A. 1995. Effect of natural vanillin on germination time and radial growth rate of molds in fruti based agar system. Food Microbiol. 12: 213-219.
 - López- Malo, A., Alzamora. SM & Guerrero, S. 2000. Natural antimicrobials from plants, En : Design of Minimally Pi- messing technologies for Fruits and Vegetables, SM Alzamora, MS Tapia & A López- Malo (Ed.) Aspen Publisher, 2635-2640.
 - Mahmound, A. L. E. 1994. Antifungal action and antialatoxic properties of some essential oil constituyents. Letters in Applied Microbiology, 19: 110-113
 - Matamoros, L. (1998). Actividad antimicótica de mezclas sorbato de potasio-vainillina sobre mohos de frutas deteriorativos. Tesis de Maestría. Universidad de las Americas- Puebla
 - Moreno P. M. , Inhibición de *Aspergillus flavus* y *Penicillum digitatum* utilizando agentes antimicrobianos naturales y/o sintéticos.Tesis de Licenciatura. Universidad de las Américas - Puebla
 - Müller, G. (1981). Microbiología de los alimentos vegetales. Ed. Acribia, pp57
 - Mussel D.1982. Microbiología de los alimentos. Ed Acribia. España
 - Nychas, G. J. E. 1995 . natural antimicrobials from plants, ch.4. In G.W. Gould (ed), New methods of food preservation, Blackie Academic and Professional, Glasgow.
 - Paster, N., Juven, B. J., Shaaya, E., Menasherov, M., Nitzan, R., Weisslowicz, H. and Ravid, U. 1990. Inhibitory effect of oregano and thyme essential oils on moulds and foodborne bacteria. Letters in Aplied Microbiology 11, 33-37.
 - Petrone, P. V. 2002 . Formulación de mermeladas con concentración reducida de azúcar utilizando antimicrobianos naturales y sistemas antimicrobianos activados por luz ultravioleta de onda larga. Tesis de Maestría. Universidad de las Américas-Puebla.
 - Przybylski, K.S., Bullerman, L.B. 1980. Influence of sorbic acid on viability and ATP content of conidia of *Aspergillus parasiticus*. J. Food Sci. 45: 385.
 - Rayman, M. K., Aris, B., Hurts, A. 1981. Nisin: a possible alternative or adjunct to nitrite in the preservation of meats. Appl. Environ. Microbiol. 41: 375.
 - Samson, Robert A., et al., 1995. Introduction to food- borne fungi, fourth edition, Centra albureau voor² Schimmel cultures.



-
- Scott, V. N., Taylor, S.L. 1981. Effect of nisin on the outgrowth of *Clostridium botulinum* spores. J. Food Sci 46: 117.
 - Shelef, L.A. 1983. Antimicrobial effects of spices. J. Food Safety 6: 29-44.
 - Sorenson, W. G., Hesseltine, W., and Shotwell, O. L. 1966. effect of temperature on production of aflatoxin on rice by *Aspergillus flavus*, Mycopathol, Mycol. Appl. 33:49
 - Sofos, . 1988. Sorbate Food Preservatives. CRC Press, Inc. Boca Raton, Florida.
 - Tranter, H.S. 1994. Lysozyme, ovotrasferrin and avidin, ch3. In V.M. Dillon and R. G. Board (ed), Natural antimicrobial systems and food preservation. CAB International , Wallingford, Oxon.
 - Tranter, H. S. and Board, R. G. 1982. Review: the antimicrobial defense of avian eggs: biological perspective and chemical basis. J. Appl. Biochem. 4: 295- 338.
 - Tsai, W. Y. J., Shao, K. P. P., Bullerman, L.B. 1984. Effects os sorbate and propionate on growth and aflatoxin production of sublethally injured *Aspergillus parasiticus*. J. Food Sci. 49:86
 - Wilkins, K.M. y Board, R.G. 1989, Natural antimicrobial systems. In Mechanisms of Action of Food Preservation Procedures, ed. G.W. Gould, Elsevier Applied Science, London and New York, pp.285-360.
 - Yousef, A. E., Marth, E. H. 1981. Growth and Synthesis of aflatoxin by *Aspergillus parasiticus* in the presence of sorbic acid. J. Food Prot. 44: 736
 - Zaika, L. L. 1988. Spices and herbs: their antimicrobial activity and its determination, J. Food Safety, 9, 97-118.

