

**Inventario de los productos de la clasificación A**

<b>Inventario para 1J0 601012 CF</b>				
<b>C1=</b>	\$227.82	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.1587	días		
<b>D=</b>	908	ensambles diarios		
<b>R=</b>	946	ensambles diarios		
<b>Dm=</b>	1130			
<b>Q=</b>	257			
<b>CT=</b>	\$212,574.71			
<b>ES=</b>	986			
<b>I<sub>m</sub>=</b>	9	uds. de inv. máx.		
<b>S=</b>	1	uds. agotadas		
<b>T=</b>	0.28	días		
	5 hrs.		57 min	<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	0.27	días		
	5 hr.		43 min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
634-705	0.011	0.011		
706-776	0.073	0.085		
777-848	0.194	0.279		
849-919	0.185	0.465		
920-991	0.298	0.763		
992-1062	0.148	0.911		
1063-1133	0.089	1.000		

Inventario para 1C0 601 012 K				
<b>C1=</b>	\$115.45	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0238	días		
<b>D=</b>	938	ensambles diarios		
<b>R=</b>	946	ensambles diarios		
<b>Dm=</b>	1400			
<b>Q=</b>	570			
<b>CT=</b>	\$109,303.21			
<b>ES=</b>	1378			
<b>Im=</b>	4	uds. de inv. máx.		
<b>S=</b>	1	uds. agotadas		
<b>T=</b>	0.6079	días		
	12	hrs.	45.6	min <b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	0.60277	días		
	12	hr.	39.6	min <b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
682-790	0.200	0.200		
791-898	0.400	0.600		
899-1006	0.067	0.667		
1007-1114	0.067	0.733		
1115-1222	0.183	0.917		
1223-1330	0.050	0.967		
1331-1440	0.033	1.000		

<b>Inventario para 1C0 601 012 R</b>				
<b>C1=</b>	\$115.45	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	555	ensambles diarios		
<b>R=</b>	560	ensambles diarios		
<b>Dm=</b>	790			
<b>Q=</b>	427			
<b>CT=</b>	\$64,850.87			
<b>ES=</b>	788			
<b>Im=</b>	3	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	0.7691	días		
	16	hrs.	9.6	min <b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	0.76227	días		
	16	hr.	0.6	min <b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
326-394	0.100	0.100		
395-462	0.067	0.167		
463-530	0.250	0.417		
531-598	0.233	0.650		
599-666	0.250	0.900		
667-734	0.017	0.917		
735-800	0.083	1.000		

Inventario para 1J0 601 012 DN				
<b>C1=</b>	\$152.70	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	363	ensambles diarios		
<b>R=</b>	367	ensambles diarios		
<b>Dm=</b>	565			
<b>Q=</b>	312			
<b>CT=</b>	\$56,134.44			
<b>ES=</b>	564			
<b>Im=</b>	3	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	0.8608	días		
	18	hrs.		<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	0.85139	días		
	17	hr.	52.8 min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
201-258	0.065	0.0654		
259-315	0.280	0.3456		
316-372	0.235	0.5810		
373-429	0.175	0.7558		
430-486	0.111	0.8666		
487-543	0.095	0.9617		
544-599	0.038	1.0000		

<b>Inventario para 1C0 601 012 P</b>				
<b>C1=</b>	\$121.74	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	354	ensambles diarios		
<b>R=</b>	357	ensambles diarios		
<b>Dm=</b>	495			
<b>Q=</b>	351			
<b>CT=</b>	\$43,673.51			
<b>ES=</b>	494			
<b>Im=</b>	3	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	0.9927	días		
	20	hrs.	50.4	min <b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	0.98434	días		
	20	hr.	40.2	min <b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
190-236	0.017	0.017		
237-282	0.135	0.152		
283-328	0.166	0.318		
329-374	0.306	0.625		
375-420	0.201	0.826		
421-466	0.112	0.938		
467-511	0.062	1.000		

Inventario para 1J0 601 012 DP				
<b>C1=</b>	\$152.70	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	299	ensambles diarios		
<b>R=</b>	302	ensambles diarios		
<b>Dm=</b>	390			
<b>Q=</b>	297			
<b>CT=</b>	\$46,246.53			
<b>ES=</b>	389			
<b>Im=</b>	3	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	0.9935	días		
	21 hrs.		52 min	<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	0.98358	días		
	20 hr.		39 min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
183-215	0.0100	0.0100		
216-247	0.1059	0.1160		
248-279	0.1314	0.2473		
280-311	0.2363	0.4836		
312-343	0.2906	0.7742		
344-375	0.1695	0.9437		
376-406	0.0563	1.00		

### Inventario de los productos de la clasificación B

'Inventario para 1J0 601 012 AE				
<b>C1=</b>	\$68.73	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	624	ensambles diarios		
<b>R=</b>	629	ensambles diarios		
<b>Dm=</b>	850			
<b>Q=</b>	470			
<b>CT=</b>	\$43,678			
<b>ES=</b>	848			
<b>Im=</b>	3	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	0.7528	días		
	15	hrs.	49	min <b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	0.7466	días		
	15	hr.	41	min <b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
474-533	0.25	0.25		
533-592	0.30	0.55		
593-651	0.12	0.67		
652-710	0.07	0.73		
711-769	0.08	0.82		
770-828	0.10	0.92		
829-890	0.08	1.00		

'Inventario para 1C0 601 012 CF				
<b>C1=</b>	\$68.73	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	251	ensambles diarios		
<b>R=</b>	253	ensambles diarios		
<b>Dm=</b>	313			
<b>Q=</b>	298			
<b>CT=</b>	\$17,725			
<b>ES=</b>	312			
<b>Im=</b>	2	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	1.1869	días		
	24	hrs.	58 min	<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	1.1771	días		
	25	hr.	43 min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
176-196	0.02	0.02		
197-216	0.07	0.08		
217-236	0.18	0.27		
237-256	0.40	0.67		
257-276	0.18	0.85		
277-296	0.08	0.93		
297-314	0.07	1.00		



<b>'Inventario para 1J0 601 012 AJ</b>				
<b>C1=</b>	\$122.13	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	331	<b>ensambles diarios</b>		
<b>R=</b>	334	<b>ensambles diarios</b>		
<b>Dm=</b>	460			
<b>Q=</b>	342			
<b>CT=</b>	\$40,976.3			
<b>ES=</b>	459			
<b>Im=</b>	2	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	1.0336	días		
	21	hrs.	43 min	<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	1.0250	días		
	21	hr.	32 min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
209-248	0.07	0.07		
249-287	0.14	0.21		
288-326	0.25	0.47		
327-365	0.23	0.70		
366-404	0.17	0.87		
405-443	0.09	0.96		
444-479	0.03	1.0		

<b>'Inventario para 1J0 601 012 BF</b>					
<b>C1=</b>	\$109.06	usd			
<b>C2=</b>	\$270.00	usd / día			
<b>C3=</b>	\$210.00	usd / día			
<b>C4=</b>	\$1,500.00	usd / día			
<b>L=</b>	0.0032	días			
<b>D=</b>	160	ensambles diarios			
<b>R=</b>	162	ensambles diarios			
<b>Dm=</b>	170				
<b>Q=</b>	195				
<b>CT=</b>	\$17,931.0				
<b>ES=</b>	169				
<b>Im=</b>	2	uds. de inv. máx.			
<b>S=</b>	0	uds. agotadas			
<b>T=</b>	1.2182	días			
	25	hrs.	35	min	<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	1.2032	días			
	25	hr.	16	min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>			
59-76	0.09	0.09			
77-93	0.25	0.34			
94-110	0.22	0.56			
111-127	0.21	0.77			
128-144	0.09	0.86			
145-161	0.11	0.97			
162-175	0.03	1.0			

<b>'Inventario para 1C0 601 011 AA</b>					
<b>C1=</b>	\$138.66	usd			
<b>C2=</b>	\$270.00	usd / día			
<b>C3=</b>	\$210.00	usd / día			
<b>C4=</b>	\$1,500.00	usd / día			
<b>L=</b>	0.0032	días			
<b>D=</b>	107	ensambles diarios			
<b>R=</b>	108	ensambles diarios			
<b>Dm=</b>	170				
<b>Q=</b>	195				
<b>CT=</b>	15135.1				
<b>ES=</b>	170				
<b>Im=</b>	1	uds. de inv. máx.			
<b>S=</b>	0	uds. agotadas			
<b>T=</b>	1.8179	días			
	38	hrs.	11	min	<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	1.8029	días			
	37	hr.	52	min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>			
59-76	0.09	0.09			
77-93	0.25	0.34			
94-110	0.22	0.56			
111-127	0.21	0.77			
128-144	0.09	0.86			
145-161	0.11	0.97			
162-175	0.03	1.00			

<b>'Inventario para 1BM 601 011 A</b>				
<b>C1=</b>	\$68.31	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	201	ensambles diarios		
<b>R=</b>	203	ensambles diarios		
<b>Dm=</b>	300			
<b>Q=</b>	267			
<b>CT=</b>	\$14,149.44			
<b>ES=</b>	299			
<b>Im=</b>	2	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	1.3264	días		
	27	hrs.	51 min	<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	1.3154	días		
	27	hr.	37 min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
123-150	0.10	0.10		
151-177	0.26	0.36		
178-204	0.21	0.57		
205-231	0.16	0.74		
232-258	0.17	0.90		
259-285	0.05	0.95		
286-310	0.05	1.00		

<b>'Inventario para 1J0 601 012 AN</b>				
<b>C1=</b>	\$73.42	usd		
<b>C2=</b>	\$270.00	usd / día		
<b>C3=</b>	\$210.00	usd / día		
<b>C4=</b>	\$1,500.00	usd / día		
<b>L=</b>	0.0032	días		
<b>D=</b>	188	<b>ensambles diarios</b>		
<b>R=</b>	190	<b>ensambles diarios</b>		
<b>Dm=</b>	275			
<b>Q=</b>	258			
<b>CT=</b>	\$14,207.1			
<b>ES=</b>	274			
<b>Im=</b>	2	uds. de inv. máx.		
<b>S=</b>	0	uds. agotadas		
<b>T=</b>	1.3715	días		
	28	hrs.	48	min <b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	1.3601	días		
	28	hr.	34	min <b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>		
102-128	0.04	0.04		
129-154	0.12	0.16		
155-180	0.22	0.38		
181-206	0.28	0.67		
207-232	0.22	0.88		
233-258	0.08	0.96		
259-285	0.03	1.00		

<b>'Inventario para 1J0 601 011 D</b>					
<b>C1=</b>	\$74.67	usd			
<b>C2=</b>	\$270.00	usd / día			
<b>C3=</b>	\$210.00	usd / día			
<b>C4=</b>	\$1,500.00	usd / día			
<b>L=</b>	0.0032	días			
<b>D=</b>	159	<b>ensambles diarios</b>			
<b>R=</b>	160	<b>ensambles diarios</b>			
<b>Dm=</b>	240				
<b>Q=</b>	237				
<b>CT=</b>	\$12,241.66				
<b>ES=</b>	239				
<b>Im=</b>	2	uds. de inv. máx.			
<b>S=</b>	0	uds. agotadas			
<b>T=</b>	1.4913	días			
	31	hrs.	19	min	<b>Tiempo entre tandas de producción</b>
<b>t<sub>1</sub>=</b>	1.4790	días			
	31	hr.	4	min	<b>Tiempo de manufacturación</b>
<b>D</b>	<b>P(D)</b>	<b>P(D&gt;B)</b>			
100-122	0.13	0.13			
123-144	0.24	0.37			
145-166	0.24	0.61			
167-188	0.14	0.74			
189-210	0.16	0.91			
211-232	0.06	0.97			
233-252	0.03	1.00			