

REFERENCIAS

Alvin, J. (1997). *Musicoterapia*. Barcelona: Paidós.

Barón Fernandez, J. (1970). *Andres Vesalio: Su vida y su obra*. Madrid: Vilanova.

Baeck, E. (2002). The neural networks of music. *European Journal of Neurology*, 9 , 449-56.

Benezon, R. (2000). *Musicoterapia: de la teoría a la práctica*. Barcelona: Paidós Ibérica.

Bourguignon, E. (1979). "La danza Trance" en *La Experiencia Mística*. Ed. Kairos: Barcelona.

Brown, T.S. y Wallace, P.M. (1989). *Psicología Fisiológica*. Mexico: Mc Graw Hill.

Cade, M. y Coxhead, N. (1989). *The Awakened Mind: Biofeedback and the development of higher states of awareness*. Londres: Element Books.

Campbell, D. (1992). *Music and Miracles*. Nueva York : Quest Books.

Cantor, D. (1999). "An Overview of Quantitative EEG and its Application to Neurofeedback". En: *Introduction to Quantitative EEG and Neurofeedback*. San Diego: Academic Press.

Deutsch, D. (1999). *The Psychology of Music*. San Diego: Academic Press.

Doore, G. (1988). *El Viaje del Chamán*. Barcelona: Kairós.

Eliade, M. (1982). *El chamanismo y las técnicas arcaicas del éxtasis*. México: FCE.

Fearn, R. W. (1975). Level limits in pop music. *Journal of Sound and Vibration*, 38, 591-592.

Fericgla, J. (1994). *Plantas, chamanismo y estados de conciencia*. Barcelona: Liebre de Marzo.

Flugrath, J.M. (1969). Modern day rock and roll music and damage risk criteria. *Journal of the Acoustical Society of America*, 45, 704-711.

Gaston, T. (1989). *Tratado de musicoterapia*. Mexico: Paidós.

Goldstein, E. B. (1984) *Sensación y Percepción*. Madrid: Debate.

Grunwald, Busse, Hensel, Kruggel, Riedel, Wolf, Arentd, Gertz. (2001). Correlation between cortical theta activity and hippocampal volumes in health, mild cognitive impairment and mild dementia. *Journal of clinical neurophysiology*, 18, 178-184.

Harner, M. (1987). *La senda del chaman*. Madrid: Swan .

Helmhotz, H. von. (1954). *On the sensations of tone as a physiological basis for the theory of music*. Nueva York: Dover.

Hopkins, A. (1993). *Understanding Music*. Nueva York: Oxford University press.

Hunter, R. y Macalpine, I. (1963) *Three Hundred Years of Psychiatry*. Londres: Oxford University Press.

Jasper, H. (1958). The ten-twenty electrode system of the International Federation. *EEG Clinical Neurophysiology*, 10, 371-375.

Jensen, O. y Tesche, C. (2002). Frontal theta activity in humans increases with memory load in a working memory task. *European Journal of Neuroscience*, 15, 1395-1399.

Jilek, W.(1974). *Salís Indian Mental Health and Culture Change*. Toronto: Holt, Rinehart and Winston.

Kaiser, E. et al. (1964). EEG data representation, in broadband frequency analysis. *EEG Clinical Neurophysiology*, 17, 76-80.

Koelsh ,Gunther, Cramon, Zysset, Lohmann, Friederichi.(2002). Bach speaks: a cortical language network serves the processing of music. *NeuroImage*, 17, 956-66.

Levin, Yal (1998). Brain music in the treatment of patients with insomnia. *Neuroscience and behavioral physiology*, 28, 330-5.

Patterson, R., Uppenkamp, S., et al.(2002). The processing of temporal pitch and melody information in auditory cortex. *Neuron*, 36 , 767-76.

Mathews, M.V. (1963). The digital computer as a digital instrument. *Science*, 142 553-557.

Mathews, M.V. (1969) *The technology of computer music*. Cambridge, MA, MIT Press.

Mead, M. (1968) *Sexo y temperamento*. Buenos Aires: Paidós.

Menon V., Levitin D., Smith, B., Lembke, A., Krasnow, B., Glazer, D., Glover, G., Mc Adams, S. (2002) Neural correlates of timbre in harmonic sounds. *Neuroimage*. 17 , 1742-54.

Meister, Einsle, Brunner, Rhyner.(1999). Psychofonia – a neurophysiologic music therapy in migraine. *Schweizerische Rundschau fur Medizin Praxis*. 88 , 946-9.

Mizuki, Tanaka, Isanaga (1982). Effects of centrally acting drugs on the frontal midline theta activity. *Electroencephalography and Clinical Neurophysiology*. 54, 28.

Nakamura, Sadato, Ohashi, Nishina, Fuwamoto, Yonecura (1999). Analysis of music-brain interaction with simultaneous measurement of regional cerebral blood flow and electroencephalogram beta rhythm in human subjects. *Neuroscience letters*. 19, 222-6.

Neher, A. Auditory Driving Observed with Scalp Electrodes in Normal Subjects. *Electroencephalography and Clinical Neurophysiology*, vol. 13 (3): 449-451.

Niwa, Yamaguchi y Tsujimoto (1975). Frontal theta burst and personality trait. *Rinsho-Nouha (Clinical EEG)*, 17,661-668.

Plomp, R. (1964). The ear as a frequency analyzer. *Journal of the Acoustical Society of America*, 36, 1628-1636.

Rasch, R y Plomp, R. (1999) "The perception of musical tones". En: "The Psychology of Music", editado por Diana Deutsch. Nueva York: Academic Press, 113-158.

Risset, J; y Wessel, L. (1999). "Explorations of timbre by analysis and synthesis". En: *The Psychology of Music.* , editado por Diana Deutsch. Nueva York: Academic Press, 113-158.

Schack, Vath, Petsche, Geissler, Möller, (2002). Phase coupling of theta-gamma EEG rhythms during short-term memory processing. *International journal of Psychophysiology*, 44, 143-163.

Schneider, Marius. *Los Fundamentos intelectuales y psicológicos del Canto Mágico*

Schouten, J. F. (1968) The perception of timbre. En: *Report of the Sixth International Congress on Acoustics*. Tokyo, Paper GP-6-2.

Suetsugi, M; Mizuki, Y; et al. Appearance of frontal midline theta activity in patients with generalized anxiety disorder. *Neuropsychobiology*, 41, 108-112.

Sulimov A, Liubimova I, Pavlygina R, Davidov V. (2000) Spectral analysis of the human EEG while listening to music. *Zhurnal vysshego nervoi deiatelnosti imeni*, 50, 62-67.

Thatcher, W. (1999). EEG Database Guided Neurotherapy. In : *An Introduction to Quantitative EEG and Neurofeedback*. San Diego: Academic Press.

Thompson, Richard F. (1973). *Fundamentos de psicología fisiológica*. México: Trillas.

Tomatis, Alfred. (1991). *The conscious ear*, Londres: Station Hill Press.

Torres, J. et al. (1991). *Musica y Sociedad*. Madrid: Real Musical.

Vila Castellar, Jaime. (1996). *Una introducción a la Psicofisiología Clínica*. Madrid: Pirámide.

Weinberger, N. (1999). *Music and the Auditory System* en: "The Psychology of Music" de Diana Deutsch. Nueva York: Academic Press.

Winckel, F. W. (1962). Optimum acoustic criteria of concert halls for the performance of classical music. *Journal of the Acoustical Society of America*, 52, 584-487.

White, John. (1972). *La experiencia mística*. Barcelona: Kairós.

Winckel, F. (1967) *Music, sound and sensation*. Nueva York: Dover.

Wood, W.D. y Limpscomb, D. (1972). Maximum available sound pressure levels from stereo components. *Journal of the Acoustical society of America*, 34, 81-86.

Yamada, Fumio (1988). Frontal midline theta rhythm and eyeblinking activity during a VDT task and a video game. *Ergonomics*, 41, 678-688.

Yuan Q, Liu X, Li DC, Wang H, Liu Y (2000). Effects of noise and music on EEG power spectrum. *Space Med Eng*, 13, 401-4.