

IV. REFERENCIAS

ACOG issues report on hormonal contraception. Special Medical Reports. (1995). *American Family Physician*, 51, 543-544.

Ahued, A. J. R. & Fernández, del C. F. (2000). *Ginecología y obstetricia aplicadas*. México: J. G. H. Editores.

Aikins, M. P. (2003). New methods of hormonal contraception. *The Nurse Practitioner*, 28, 11-20.

Andrist, L. C., Arias, R. D., Nucatola D., Kaunitz, A. M., Musselman B. L., Reiter, S., Boulanger, J., Dominguez, L. & Emmert S. (2004a). Women's and provider's attitudes toward menstrual suppression with extended use of oral contraceptives. *Contraception*, 70, 359-363.

Andrist, L. C., Hoyt, J., Weistein, D. & McGibbon, C. (2004b). The need to bleed: women's attitudes and beliefs toward menstrual suppression. *Journal of the American Academy of Nurse Practitioners*, 16, 31-37.

Association of Reproductive Health Professionals. *Extended and continuous use of contraceptives to reduce menstruation*. (2004a). Recuperado en Enero, 2005, de: <http://www.arhp.org/files/CPReduceMenses.pdf#xml=http://arhp.org.master.com/taxis/master/search/mysite.txt?q=extended&order=r&id=58b048a83820bcc2&cmd=xml>.

Association of Reproductive Health Professionals. *Health & Sexuality. A publication of the Association of Reproductive Health Professionals*. (2004b). Recuperado en Enero, 2005, de:

<http://www.arhp.org/files/extreg&s.pdf#xml=http://arhp.org.master.com/texis/master/search/mysite.txt?q=menstrual&order=r&id=08610a426c5da617&cmd=xml>

Association of Reproductive Health Professionals. *Perimenopause: Pathways to Change* (2004c). Recuperado en Octubre, 2005 de: <http://www.arhp.org/patienteducation/onlinebrochures/perimenopause/periapt.cfm?ID=283>

Baron, R. A. & Byrne, D. (1984). *Social psychology. Understanding human interaction*.

Bennell, K., White, S. & Crossley, K. (1999). The oral contraceptive pill: a revolution for sportswomen? *British Journal of Sports Medicine*, 33, 231–238.

Berek, J. S. (2000). *Ginecología de Novak*. México: McGraw Hill Interamericana.

Bjarnadottir, R. I., Tuppurainen, M. & Killicks, S. R. (2002). Comparison of cycle control with a combined contraceptive vaginal ring and oral levonorgestrel/ethinyl estradiol. *American Journal of Obstetrics and Gynecology*, 186, 389-95.

Center for Drug Evaluation and Research. (2001.). *RX only. Ortho Evra. Norelgestromin/ethinyl estradiol transdermal system*. Recuperado en Marzo, 2005 de: http://www.fda.gov/cder/foi/nda/2001/021-180_Ortho%20EVRA_prntlbl.pdf

Chrisler, J. C. (1988). Age, gender-rol orientation, and attitudes toward menstruation. *Psychological Reports*, 63, 827-834.

Clements, M. L. (1986). *Ginecología y Obstetricia en enfermería*. España: Ediciones Doyma.

Clinical Practice Guidelines. (2001). Menstrual suppression or withdrawal bleeding manipulation. Recuperado en Marzo, 2005, de: <http://www.noperiod.com>.

Conway, M., Pizzamiglio, T. & Mount, L. (1996). Status, communality and agency: Implications for stereotypes of gender and other groups. *Journal of Personality and Social Psychology*, 71, 25-38.

Cosgrove, L. y Riddle, B. (2003). Constructions of femininity and experiences of menstrual distress. *Women & Health*, 38, 37-58.

Couthino, E. M. & Segal, S. J. (1999). *Is menstruation obsolete?* New York: Oxford University Press.

Cuninham, J. D. (1989). *Human Biology* (2a ed.). USA: Harper & Row, Publishers.

Den Tonkelarr, I. & Oddens, B. (1999). Preferred frequency and characteristics of menstrual bleeding in relation to reproductive status, oral contraceptive use, and hormone replacement therapy use. *Contraception*, 59, 357-362.

Djerassi, C. (1979). *The politics of contraception*. USA: W.W. Norton & Company.

Eaton, S. B., Pike, M. C., Short, R. V., Lee, N. C., Trussell, J., Hatcher, R. A., Wood, J. W., Worthman, C. M., Jones, N. G. B., Konner, M. J., Hill, K. R., Bailey, R. & Hurtado, A. M. (1994). Women's reproductive cancers in evolutionary context. *Quarterly Review of Biology*, 69, 353-367.

Elson, J. (2002). Menarche, menstruation, and gender identity: retrospective accounts from women who have undergone premenopausal hysterectomy. *Sex Roles: A Journal of Research*, 46, 37-49.

Forbes, G. B, Adams-Curtis, L. E., White, K. B. & Holmgren, K. M. (2003). The role of hostile and benevolent sexism in women's and men's perceptions of the menstruation woman. *Psychology of Women Quarterly*, 27, 53-63.

Frankovich, R. J. & Lebrun, C. M. (2000). Menstrual cycle, contraception, and performance. *Clinics in Sports Medicine*, 19, 251-71.

Geller, S. E., Harlow, S. D. & Bernstein, S. J. (1999). Differences in menstrual bleeding characteristics, functional status and attitudes toward menstruation in three groups of women. *Journal of Women's Health and Gender-Based Medicine*, 8, 533-540.

Gorman, C. & Rawe, J. (2000). Who needs a period? *Time*, 156, 56.

Green, J. H. (1991). *An Introduction to human physiology* (4a ed.). Hong Kong: Oxford University Press.

Guyton, A. C. (1981). *Textbook of Medical Physiology*. USA: W. B. Saunders Company.

Guyton, A. C. (1987). *Fisiología Humana* (6a ed.). México: Editorial Interamericana.

Guyton, A. C. (1989). *Tratado de Fisiología Médica* (7a ed.). México: McGraw Hill.

Hardie, E. A., & McMurray, N. E. (1992). Self-stereotyping, sex-role ideology and menstrual attitudes: A social identity approach. *Sex Roles, 27*, 17-37.

Hatcher, R. A., Rinehart, W., Blackburn, R., Geller, J. S. & Shelton, J. D. (1999). *Lo esencial de la tecnología anticonceptiva*. Baltimore: Facultad de Salud Pública, Universidad de Johns Hopkins, Programa de Información en Población.

Hawkins, J. W. & Higgins, L. P. (1984). *Enfermería ginecológica y obstetricia*. México: Harper & Row.

Herdon, E. J. & Zieman, M. (2004). New contraceptive options. *American Family Physician, 69*, 853-860.

Hitchcock, C. & Prior, J. C. (2004). Evidence about extending the duration of oral contraceptive use to suppress menstruation. *Women's Health Issues, 14*, 201-212.

Johnston-Robledo, I., Ball, M., Lauta, K. & Zekoll, Z. (2003). To bleed or not to bleed: Young women's attitudes toward menstrual suppression. *Women & Health, 38*, 59-75.

Kaunitz, A. M. (2000). Menstruation: choosing whether...and when. *Contraception, 62*, 277-284.

Koster, L. F. (2002) Anticipations and experiences of menopause in a Danish female general population cohort born in 1936. *Archives of Women's Mental Health, 5*, 9-13.

Kovacs, G. T., Rudson, J. & Evans, A. (1994). A trimonthly regimen for oral contraceptives. *British Journal of Family Planning, 19*, 274-275.

Levine, J. P. (2004). Nondaily hormonal contraceptives: Establishing a fit between product characteristics and patient preferences. *The Journal of Family Practice*, 53, 904-913.

Loudon, N. B., Foxwell, M., Potts, D. M., Guild, A. L. & Short, R. V. (1977) Acceptability of an oral contraceptive that reduces the frequency of menstruation: the tri-cycle pill regimen. *British Medical Journal*, 2, 487-490.

Mahalik, J. R., Morray, E. B., Coonerty-Femiano, A., Ludlow, L. H., Slattery, S. M. & Smiller, A. (2005) . Development of the Conformity to Feminine Norms Inventory. *Sex Roles: A Journal of Research*, 52, 417-435.

Marván, M. L. & Contreras, C. M. (1993). El síndrome premenstrual. *Salud Mental*, 16, 33-37.

Marván, M. L., Cortés-Iniestra, S. y Lama, C. (2004). Análisis de la publicidad de productos relacionados con la menstruación en revistas dirigidas a adolescentes. *Psicología y Salud*, 14, 113-120.

Mckinley Health Center. University of Illinois at Urbana-Champaign. (2005). *Depo-Provera (DMPA)*. Recuperado en Marzo, 2005, de: www.mckinley.uiuc.edu/health-info/sexual/birthcon/depoprov.html.

Miller, L. & Notter, K. M. (2001). Menstrual reduction with extended use of combination oral contraceptive pills: randomized controlled trial. *Obstetrics & Gynecology*, 98, 771-778.

Mitchell, L. L. & Mitchell, C. W. (1998). Effects of premenstrual syndrome on coping style. *Psychology: A Journal of Human Behavior*, 35, 2-10.

Moya, M. M. (1984). Los roles sexuales. *Gaceta de Antropología*. Universidad de Granada. Recuperado el 7 de Marzo de 2005, de: <http://www.ugr.es/~pwlac/Welcome1984.html>.

Myers, D. G. (2000) *Psicología social*. Colombia: McGraw Hill.

O'Grady, K. (2001) Are periods passe? *Herizons*, 14, 24-27.

Organon Incorporation. (2001). *NuvaRing. Etonogestrel/ethnyl estradiol vaginal ring*. Recuperado en Marzo, 2005, de: <http://www.nuvaring.com/Consumer/whatIsNuvaRing/fullPrescribingInformation/index.asp>

Pharmacia & Upjohn Company. (2004). *Depo-Provera. Contraceptive injection*. Recuperado en Marzo, 2005, de: <http://www.fwhc.org/birth-control/bcdepo.htm>.

Rivera. R., Yacobson, I. & Grimes, D. (1999). The mechanism of action of hormonal contraceptives and intrauterine contraceptive devices. *American Journal of Obstetrics and Gynecology*, 181, 1263-1269.

Rosenberg, M. J., Waugh, M. S. & Meehan, T. E. (1995). Use and misuse of oral contraceptives: risk indicators for poor pill taking and discontinuation. *Contraception*, 51, 283-288.

Roxburgh, D. R. & West, M. J. (1973). The use of norethisterone to suppress menstruation in the intellectually severely retarded women. *The Medical Journal of Australia*, 2, 310-313.

Ruiz, N. P. (1997). *Rol sexual y percepción de evitación al éxito en mujeres. Un estudio transcultural*. Tesis inédita de Licenciatura en Psicología. Universidad de las Américas, Puebla, México.

Schneider, M. B., Fisher, M., Friedman, S. B., Bijur, P. E. & Toffler, P. A. (1999). Menstrual and premenstrual issues in female military cadets: a unique population with significant concerns. *Journal of Pediatric and Adolescent Gynecology*, 12, 195–201.

Stubbs, M. L., & Costos, D. (2004). Negative attitudes toward menstruation: Implications for disconnection within girls and between women. *Women & Therapy*, 27, 37-54.

Sulak, P. J., Kuehl, T. J., Ortiz, M. & Shull, B. L. (2002). Acceptance of altering the standard 21-day/7-day oral contraceptive regimen to delay menses and reduce hormone withdrawal symptoms. *American Journal of Obstetrics and Gynecology*, 186, 1142-1149.

Sulak, P. J., Cressman, B. E., Waldrop, E., Holleman, S. & Kuehl, T. J. (1997). Extending the duration of active oral contraceptive pills to manage hormone withdrawal symptoms. *Obstetrics & Gynecology*, 89, 179-83.

Sulak, P. J., Scow, R. D., Preece, C., Riggs, M. W. & Kuehl T. J. (2000). Hormone withdrawal symptoms in oral contraceptives. *Obstetrics & Gynecology*, 95, 261-266.

Thomas, S. L. & Elleston, C. (2000). Nuisance or natural and healthy: should monthly menstruation be optional for women? *Lancet*, 355, 922-924.

Tortora, G. J. (1995). *Anatomía Básica del Cuerpo Humano*. México: Harla.

Ussher, J. M. (1989). *The psychology of the female body*. USA: Routledge.

Watkins, S. E. (1998). *On the pill. A social history of oral contraceptives 1950-1970*. USA: The Johns Hopkins University Press.

Weller, H. & Wilery, R. L. (1985). *Basic Human Physiology*. (2a Ed.). Boston: PWS Publishers.

Westphal, S. P. (2002). Lifting the curse. *New Scientist*, 173, 38-41.

World Health Organization Task Force. (1981). A cross-cultural study of menstruation: Implications of contraceptive development and use. *Studies in Family Planning*, 12, 3-16.

WWW Mirena (s.f). Recuperado en Marzo, 2005, de:
<http://www.mirena.com.mx/default2.asp>.

Yucel, B. & Polat, A. (2003). Attitudes toward menstruation in premenstrual dysphoric disorder: A preliminary report in an urban Turkish population. *Journal of Psychosomatic Obstetrics and Gynaecology*, 24, 231-237.