

17. ANEXO B

Resultados del porcentaje de inflamación que se ocupo para realizar las gráficas. El tiempo se da en h y los resultados en %.

Tabla 41. Ratas control con indometacina.

RATAS	Pata Problema					
	T I E M P O					
	0	1	2	3	4	5
1	-3.03	-12.12	3.03	0.00	3.03	-3.03
2	18.52	14.81	18.52	29.63	18.52	59.26
3	-6.25	0.00	25.00	28.13	12.50	12.50
4	-6.45	-3.23	19.35	16.13	48.39	6.45
5	-3.13	6.25	0.00	9.37	9.37	40.63
6	14.81	25.93	40.74	33.33	14.81	44.44
Promedio	2.41	5.27	17.77	19.43	17.77	26.71

Tabla 42. Ratas control con carragenina.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	75	93.75	97.2	98.03	97.6
2	0	100	100	100	100	100
3	0	100	100	100	100	100
4	0	0	69.2	86.11	90.4	89.5
5	0	100	100	100	100	100
6	0	83.3	93.3	97.2	98.03	97.3
Promedio	0	79.15	93.525	97.2	98.03	97.45

Tabla 43. Ratas con hexano solo.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0.00	40.00	88.00	140.00	224.00	212.00
2	0.00	29.63	77.78	166.67	196.30	207.41
3	0.00	37.04	85.19	151.85	200.00	207.41
4	0.00	38.46	73.08	142.31	219.23	216.00
5	0.00	44.00	92.00	168.00	228.00	216.00
6	0.00	34.62	61.54	146.15	207.69	203.85
Promedio	0.00	37.29	79.60	152.50	212.54	210.44

Tabla 44. Ratas con etanol solo.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	35.71	78.57	164.29	189.29	196.43
2	0	34.48	62.07	148.28	172.41	182.76
3	0	34.48	68.97	141.38	193.10	182.76
4	0	40.74	74.07	162.96	218.52	203.70
5	0	40.74	96.30	148.15	211.11	200.00
6	0	53.13	75.00	128.13	168.75	162.50
Promedio	0.00	39.88	75.83	148.86	192.20	188.02

Tabla 45. Ratas con cloroformo solo.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	23.08	69.23	119.23	169.23	180.77
2	0	18.52	66.67	88.89	133.33	188.89
3	0	6.67	20.00	53.33	4.83	100.00
4	0	-3.45	65.52	79.31	89.66	96.55
5	0	3.33	13.33	40.00	90.00	106.67
6	0	3.23	29.03	41.94	96.77	83.87
Promedio	0.00	8.56	43.96	70.45	97.30	126.12

Tabla 46. Ratas con extracto hexánico de linaloe.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	16.00	44.00	32.00	48.00	28.00
2	0	20.00	40.00	40.00	52.00	24.00
3	0	33.33	45.83	45.83	62.50	62.50
4	0	20.00	40.00	20.00	64.00	32.00
5	0	19.23	46.15	57.69	65.38	34.62
6	0	21.74	56.52	52.17	78.26	26.09
Promedio	0.00	21.72	45.42	41.28	61.69	34.53

Tabla 47. Ratas con extracto etanólico de linaloe.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	0	7.14	17.86	17.86	32.14	50.00
2	0	22.22	25.93	29.63	29.63	40.74
3	0	14.81	22.22	18.52	40.74	48.15
4	0	17.86	32.14	21.43	28.57	32.14
5	0	41.67	45.83	45.83	62.50	70.83
6	0	14.29	14.29	35.71	46.43	46.43
Promedio	0.00	19.66	26.38	28.16	40.00	48.05

Tabla 48. Ratas con extracto clorofórmico de linaloe.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	0.00	42.31	73.08	50.00	69.23	30.77
2	-6.90	31.03	48.28	62.07	62.07	41.38
3	3.57	35.71	71.43	57.14	53.57	46.43
4	7.41	44.44	70.37	48.15	88.89	44.44
5	3.57	21.43	50.00	53.57	82.14	32.14
6	0.00	14.81	66.67	62.96	81.48	40.74
Promedio	1.28	31.62	63.30	55.65	72.90	39.32

Tabla 49. Ratas con extracto hexánico de cuachalalate.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	-3.23	74.19	54.84	61.29	70.97	58.06
2	3.70	100.00	74.07	81.48	100.00	85.19
3	-6.25	62.50	34.38	50.00	56.25	68.75
4	0.00	80.00	50.00	60.00	70.00	63.33
5	-6.25	65.63	50.00	59.38	71.88	62.50
6	-3.23	58.06	38.71	38.71	67.74	54.84
Promedio	-2.54	73.40	50.33	58.48	72.81	65.45

Tabla 50. Ratas con extracto etanólico de cuachalalate.

	<i>Pata Problema</i>
--	----------------------

RATAS	T I E M P O					
	0	1	2	3	4	5
1	-4.76	104.76	90.48	76.19	57.14	47.62
2	-4.55	100.00	95.45	81.82	40.91	54.55
3	0.00	113.64	95.45	72.73	45.45	45.45
4	5.00	140.00	100.00	75.00	85.00	60.00
5	-4.35	113.04	91.30	65.22	43.48	39.13
6	0.00	73.91	73.91	60.87	34.78	47.83
Promedio	-1.44	107.56	91.10	71.97	51.13	49.10

Tabla 51. Ratas con extracto clorofórmico de cuachalalate.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	21.43	35.71	60.71	89.29	82.14
2	0	17.86	21.43	57.14	82.14	75.00
3	0	21.43	46.43	85.71	85.71	82.14
4	0	16.67	30.00	46.67	76.67	80.00
5	0	20.69	31.03	68.97	-13.10	79.31
6	0	16.00	32.00	68.00	92.00	76.00
Promedio	0.00	19.01	32.77	64.53	68.78	79.10

Tabla 52. Ratas con extracto acuoso de cuachalalate.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	5	71.42	90.48	71.43	66.67
2	0	4.35	56.52	100	100	73.91
3	0	0	58.33	91.67	83.33	87.5
4	0	5	110	115	100	75
5	0	4.54	59.1	104.54	100	81.82
6	0	9.09	72.73	100	113.64	77.27
Promedio	0.00	4.66	71.35	100.28	94.73	77.03

Tabla 53. Ratas con extracto hexánico de tila.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	4.76	9.52	23.81	33.33	47.62	61.90

2	5.26	15.79	21.05	6.00	47.37	68.42
3	-4.76	9.52	33.33	38.10	52.38	61.90
4	0.00	0.00	9.52	23.81	42.86	66.67
5	-5.26	10.53	26.32	31.58	42.11	52.63
6	5.26	10.53	31.58	31.58	36.84	68.42
Promedio	0.88	9.31	24.27	27.40	44.86	63.32

Tabla 54. Ratas con extracto etanólico de tila.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	0.00	8.33	29.17	41.67	58.33	87.50
2	4.17	16.67	33.33	45.83	54.17	79.17
3	0.00	13.04	26.09	30.43	47.83	65.22
4	0.00	8.33	16.67	20.83	37.50	54.17
5	4.17	8.33	20.83	25.00	50.00	83.33
6	4.00	4.00	12.00	20.00	36.00	48.00
Promedio	2.06	9.79	23.01	30.63	47.30	69.56

Tabla 55. Ratas con extracto clorofórmico de tila.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	4.00	4.00	8.00	12.00	24.00	56.00
2	0.00	5.00	12.50	29.17	54.17	87.50
3	4.55	4.55	13.64	22.73	40.91	68.18
4	4.55	4.55	9.09	18.18	36.36	59.09
5	0.00	4.17	12.50	16.67	33.33	58.33
6	0.00	0.00	4.00	12.00	36.00	64.00
Promedio	2.18	3.71	9.95	18.46	37.46	65.52

Tabla 56. Ratas con extracto acuoso de tila.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	0	4.84	9.7	25.81	25.81	22.58

2	0	0	8.93	26.79	33.93	19.64
3	0	7.02	10.53	14.03	22.81	22.81
4	0	9.3	20.37	35.18	44.44	48.15
5	0	4.92	6.56	14.75	14.75	39.34
6	0	6.8	18.64	40.68	44.07	35.59
Promedio	0.00	5.48	12.46	26.21	30.97	31.35

Tabla 57. Ratas con extracto hexánico de gordolobo.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	4.00	28.00	44.00	88.00	132.00	136.00
2	0.00	20.69	24.14	65.52	103.45	113.79
3	0.00	19.23	34.62	76.92	103.85	130.77
4	0.00	17.24	41.38	58.62	93.10	124.14
5	3.57	17.86	39.29	71.43	107.14	110.71
6	7.14	10.71	28.57	75.00	110.71	107.14
Promedio	2.45	18.96	35.33	72.58	108.38	120.43

Tabla 58. Ratas con extracto etanólico de gordolobo.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	5.56	27.78	58.33	91.67	72.22	52.78
2	2.86	28.57	65.71	91.43	74.29	51.43
3	-3.03	30.30	81.82	118.18	81.82	60.61
4	2.70	18.92	54.05	75.68	62.16	43.24
5	2.70	5.41	56.76	89.19	59.46	70.27
6	0.00	8.11	56.76	78.38	64.86	54.05
Promedio	1.80	19.85	62.24	90.75	69.14	55.40

Tabla 59. Ratas con extracto clorofórmico de gordolobo

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	4.17	29.17	75.00	116.67	166.67	158.33

2	-3.85	19.23	53.85	103.85	138.46	138.46
3	4.17	29.17	75.00	116.67	158.33	158.33
4	4.17	29.17	70.83	116.67	170.83	162.50
5	3.57	21.43	46.43	89.29	125.00	117.86
6	0.00	19.23	57.69	96.15	134.62	134.62
Promedio	2.04	24.57	63.13	106.55	148.99	145.02

Tabla 60. Ratas con extracto acuoso de gordolobo.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	0	4.17	45.83	87.5	137.5	145.83
2	0	0	36	100	120	120
3	0	8.7	56.52	52.17	82.61	143.48
4	0	3.85	34.61	46.15	65.38	92.3
5	0	0	50	96.15	115.38	130.77
6	0	0	34.61	76.92	103.85	123.1
Promedio	0.00	2.79	42.93	76.48	104.12	125.91

Tabla 61. Ratas con extracto hexánico de romero.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	3.23	29.03	13.23	32.26	51.61	38.71
2	6.25	31.25	59.38	50.00	43.75	34.38
3	-6.25	34.38	68.75	40.63	28.13	31.25
4	-6.25	21.88	59.38	40.63	59.38	34.38
5	6.67	43.33	86.67	56.67	46.67	43.33
6	-9.09	30.30	57.58	48.48	42.42	21.21
Promedio	-0.91	31.69	57.49	44.78	45.33	33.88

Tabla 62. Ratas con extracto etanólico de romero.

RATAS	Pata problema					
	TIEMPO					
	1	2	2	3	4	5
1	-5.41	16.22	40.54	67.57	105.41	48.65
2	-2.63	10.53	44.74	60.53	86.84	57.89
3	0.00	20.59	67.65	88.24	111.76	85.29
4	0.00	16.22	56.76	70.27	100.00	56.76

5	-2.86	25.71	60.00	80.00	111.43	65.71
6	-2.56	17.95	33.33	51.28	92.31	51.28
Promedio	-2.24	17.87	50.50	69.65	101.29	60.93

Tabla 63. Ratas con extracto clorofórmico de romero.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	4.00	20.00	68.00	92.00	96.00	104.00
2	3.85	15.38	42.31	65.38	73.08	88.46
3	-3.57	7.14	35.71	42.86	57.14	82.14
4	-8.70	21.74	1.74	91.30	95.65	117.39
5	4.00	24.00	72.00	72.00	84.00	108.00
6	-3.70	11.11	44.44	59.26	77.78	100.00
Promedio	-0.69	16.56	44.03	70.47	80.61	100.00

Tabla 64. Ratas con extracto acuoso de romero.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	0	5	75	120	110	115
2	0	0	52.17	108.7	104.35	69.56
3	0	0	86.36	104.54	113.64	86.36
4	0	9.52	71.43	119.05	133.33	109.52
5	0	0	43.48	104.35	104.35	73.91
6	0	4.7	57.14	104.76	100	66.67
Promedio	0.00	3.20	64.26	110.23	110.95	86.84

Tabla 65. Ratas con extracto hexánico de chía.

RATAS	Pata problema					
	TIEMPO					
	0	1	2	3	4	5
1	0.00	0.00	8.33	37.50	58.33	58.33
2	3.85	11.54	26.92	42.31	73.08	69.23
3	3.85	7.69	15.38	38.46	73.08	65.38
4	0.00	0.00	17.86	35.71	57.14	60.71
5	3.45	6.90	27.59	34.48	48.28	44.83

6	8.00	16.00	32.00	48.00	76.00	60.00
Promedio	3.19	7.02	21.35	39.41	64.32	59.75

Tabla 66. Ratas con extracto etanólico de chía.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0.00	8.00	36.00	56.00	92.00	116.00
2	8.00	12.00	32.00	76.00	112.00	148.00
3	0.00	16.67	37.50	62.50	116.67	150.00
4	4.00	16.00	32.00	64.00	120.00	152.00
5	0.00	0.00	23.08	57.69	92.31	115.38
6	0.00	0.00	38.46	73.08	103.85	138.46
Promedio	2.00	8.78	33.17	64.88	106.14	136.64

Tabla 67. Ratas con extracto clorofórmico de chía.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0.00	22.22	37.00	48.15	62.96	66.67
2	3.70	18.52	25.93	37.04	51.85	51.85
3	-3.70	18.52	25.93	44.44	55.56	51.85
4	3.70	14.81	22.22	44.44	48.15	44.44
5	3.70	14.81	22.22	48.15	59.26	51.85
6	3.70	11.11	18.52	40.74	51.85	48.15
Promedio	1.85	16.67	25.30	43.83	54.94	52.47

Tabla 68. Ratas con extracto acuoso de chía.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	3.17	1.59	3.17	7.94	4.76
2	0	3.28	1.64	3.28	8.2	4.92
3	0	0	5.45	1.82	5.45	0
4	0	0	5.66	3.77	13.21	11.32
5	0	2	14	14	10	4
6	0	0	0	0	1.79	3.57

Promedio	0.00	1.41	4.72	4.34	7.77	4.76
-----------------	-------------	-------------	-------------	-------------	-------------	-------------

Tabla 69. Ratas con extracto hexánico de sábila.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	-7.41	11.11	40.74	48.15	122.22	144.44
2	0.00	11.54	50.00	57.69	134.62	153.85
3	-7.14	7.14	42.86	60.71	121.43	142.86
4	0.00	28.00	56.00	68.00	144.00	164.00
5	4.00	20.00	72.00	64.00	148.00	160.00
6	0.00	11.54	53.85	76.92	150.00	150.00
Promedio	-1.76	14.89	52.57	62.58	136.71	152.52

Tabla 70. Ratas con extracto etanólico de sábila

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0.00	8.70	8.70	0.00	0.00	8.70
2	5.00	15.00	5.00	15.00	30.00	30.00
3	4.55	18.18	9.09	0.00	4.55	18.18
4	-4.35	4.35	0.00	0.00	8.70	17.39
5	0.00	8.70	0.00	4.35	8.70	8.70
6	0.00	9.52	4.76	23.81	23.81	38.10
Promedio	0.87	10.74	4.59	7.19	12.62	20.18

Tabla 71. Ratas con extracto clorofórmico de sábila.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	4.76	9.52	9.52	9.52	28.57	47.62
2	4.35	8.70	8.70	8.70	17.39	39.13
3	4.55	13.64	13.64	18.18	22.73	36.36
4	0.00	4.17	4.17	8.33	8.33	25.00
5	0.00	5.00	5.00	20.00	25.00	45.00
6	0.00	0.00	0.00	0.00	15.00	30.00
Promedio	2.28	6.84	6.84	10.79	19.50	37.19

Tabla 72. Ratas con extracto acuoso de sábila.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	4	44	88	68	40
2	0	8.33	37.5	125	91.67	45.83
3	0	0	40	116	64	44
4	0	3.85	38.46	69.23	61.54	38.46
5	0	8.33	58.33	87.5	91.67	41.67
6	0	0	58.33	79.17	75	33.33
Promedio	0.00	4.09	46.10	94.15	75.31	40.55

Tabla 73. Ratas con extracto hexánico de nopal.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0.00	23.08	53.85	107.69	153.85	161.54
2	0.00	16.00	80.00	108.00	144.00	168.00
3	-3.70	11.11	51.85	96.30	129.63	151.85
4	-7.41	14.81	59.26	96.30	148.15	144.44
5	12.50	29.17	79.17	120.83	166.67	187.50
6	4.00	24.00	76.00	128.00	148.00	164.00
Promedio	0.90	19.69	66.69	109.52	148.38	162.89

Tabla 74. Ratas con extracto etanólico de nopal.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0.00	20.83	45.83	75.00	79.17	62.50
2	0.00	13.79	37.93	55.17	58.62	48.28
3	0.00	14.81	40.74	59.26	59.26	48.15
4	-3.70	14.81	40.74	59.26	55.56	48.15
5	0.00	15.38	38.46	57.69	57.69	53.85
6	3.45	20.69	41.38	62.07	58.62	51.72
Promedio	-0.04	16.72	40.85	61.41	61.49	52.11

Tabla 75. Ratas con extracto clorofórmico de nopal.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0.00	13.04	21.74	43.48	56.52	73.91
2	0.00	8.70	13.04	30.43	43.48	56.52
3	0.00	13.64	22.73	45.45	59.09	72.73
4	4.35	8.70	17.39	47.83	65.22	86.96
5	0.00	8.70	17.39	43.48	56.52	65.22
Promedio	0.8696	10.553	18.458	42.134	56.166	71.067

Nota: la rata 6 se murió.

Tabla 76. Ratas con extracto acuoso de nopal.

RATAS	Pata problema					
	T I E M P O					
	0	1	2	3	4	5
1	0	0	30.77	73.08	76.92	61.54
2	0	4	44	84	80	80
3	0	8	56	72	72	88
4	0	0	40.74	66.67	66.67	62
5	0	7.7	23.08	103.85	103.85	76.92
6	0	0	56	80	84	80
Promedio	0.00	3.28	41.77	79.93	80.57	74.74