

## REFERENCES

Balla S, Thapar V, Verma S, Luong T, Faghri T, Huang CH, Rajasekaran S, del Campo JJ, Shinn JH, Mohler WA, Maciejewski MW, Gryk MR, Piccirillo B, Schiller SR, Schiller MR. 2006. Minimotif Miner: a tool for investigating protein function. 2006.Nat Methods.3(3):175-7.

Blumel J, Matz B. Thermosensitive UL9 gene function is required for early stages of herpes simplex virus type 1 DNA synthesis. 1995. J Gen Virol.76 ( 12):3119-24

Boehmer PE, Lehmann IR. Physical interaction between the herpes simplex virus 1 origin-binding protein and single-stranded DNA-binding protein ICP8. 1993. Proc Natl Acad Sci U S A.90(18):8444-8

Carmichel, E.P, M.J Kosovsky, and S.K Weller. Isolation and characterization of herpes simplex virus type 1 host range mutants defective in viral DNA synthesis. 1988. J Virol 62:91-9.

Challberg, M. Herpesvirus DNA replication. Cold Spring Harbor Press, Cold Spring Harbor, NY.

Chattopadhyay S, Chen Y, Weller SK. The two helicases of herpes simplex virus type 1 (HSV-1). 2006 Review.Front Biosci..11:2213-23.

Chattopadhyay and Weller. DNA Binding Activity of the Herpes Simplex Virus Type-1 Origin Binding Protein,UL9, Can Be Modulated by Sequences in the N Terminus: Correlation between Transdominance and DNA Binding. 2006.Journal of Virology. Virol. 80(9):4491-500.

Cho Y, Gorina S, Jeffrey PD, Pavletich NP. Crystal structure of a p53 tumor suppressor-DNA complex: understanding tumorigenic mutations. 1994. Science. 15(5170):346-55.

Denisenko,Olej, Maria Shnyreva, Hideaki Suzuki, and Karol Bomsztyk. Point Mutations in the WD40 Domain of Eed Block Its Interaction with Ezh2. 1998. Mol Cell Biol. 18(10): 5634–5642.

Elias P, Lehman IR. Interaction of origin binding protein with an origin of replication of herpes simplex virus 1. 1988. Proc Natl Acad Sci U S A. 85(9):2959-63.

Eom CY, Lehman IR. Replication-initiator protein (UL9) of the herpes simplex virus 1 binds NFB42 and is degraded via the ubiquitin-proteasome pathway. 2003 Proc Natl Acad Sci U S A. 100(17):9803-7.

Fields, Bernard, David Knipe. Virology. Vol 2. 1990. Raven Press. Chapter 64: 1787-2063

Fierer DS, Challberg MD. Purification and characterization of UL9, the herpes simplex virus type 1 origin-binding protein. 1992. J Virol. 66(7):3986-95

Isler JA, Schaffer PA. Origin binding protein-containing protein-DNA complex formation at herpes simplex virus type 1 oriS: role in oriS-dependent DNA replication. 2001. J Virol. 75(15):6808-16.

Kleynmann G, Fischer R, Betz UA, Hendrix M, Bender W, Schneider U, Hanke G, Eckenberg P, Hewlett G, Pevzner V. New Helicase-primase inhibitors as drug candidates for the treatment of herpes simplex disease. 2002. Nat Med. 8(4):392-8.

Kleynmann Gerald. New Antiviral Drugs that target Herpesvirus Helicase Primase Enzymes. 2003. Herpes. 10(2):46-52. Review

Limesand, Kirsten, Kathrin L Scwertfeger and Steven Anderson. MDM2 is Required for Suppression of Apoptosis by Activated Akt1 in Salivary Acinar Glands. 2006. Molecular and Cellular Biology. 8840-8856.

Malik AK, Shao L, Shanley JD, Weller SK. Intracellular localization of the herpes simplex virus type-1 origin binding protein, UL9. 1996. Virology. 224(2):380-9.

Marintchneva and Weller. A tale of two HSV-1 helicases: roles of phage and animal virus helicases in DNA replication and recombination. Review. 2001. Prog Nucleic Acid Res Mol Biol. 70:77-118.

Martinez Moreno M., Navarro-Lerida I, Roncal F, Albar JP, Alonso C, Gavilanes F, Rodriguez-Crespo I. Recognition of novel viral sequences that associate with the dynein light chain LC8 identified through a pepscan technique. 2003. FEBS Lett. 544(1-3):262-7

McLean, G. W., A. P. Abbotts, M. E. Parry, H. S. Marsden, and N. D. Stow. The herpes simplex virus type 1 origin-binding protein interacts specifically with the viral UL8 protein. 1994. *J. Gen. Virol.* 75:2699-2706

Monahan, S. J., L. A. Grinstead, W. Olivieri, and D. S. Parris. Interaction between the herpes simplex virus type 1 origin-binding and DNA polymerase accessory proteins. 1998. *Virology* 241:122-130.

Nakamoto Tetsuya, Ruichi Sakai, Keiya Ozawa, Yoshio Yazaki, Hisamara Hirai. Direct Binding of C-Terminal Region of p130 to SH2 and SH3 Domains of Src Kinase. 1996. American Society for Biochemistry and Molecular Biology. 8959-8965

Olivo Paul, Nancy Nelson and Mark Challberg. Herpes Simplex Virus Type-1 Gene Products Required for DNA Replication: Identification and Overexpression. 1989. American Society of Microbiology. 196-204

Pawson T, Gish GD, Nash P. SH2 domains, interaction modules and cellular wiring. 2001. *Trends Cell Biol.* 11(12):504-11.

Perry HC, Hazuda DJ, McClements WL. The DNA binding domain of herpes simplex virus type 1 origin binding protein is a transdominant inhibitor of virus replication. 1993. *Virology*. 193(1):73-9.

Severini A, Morgan AR, Tovell DR, Tyrrell DL. Study of the structure of replicative intermediates of HSV-1 DNA by pulsed-field gel electrophoresis. 1994. *Virology*. 200(2):428-35.

Tanguy Le Gac, Nicolas and Paul Boehmer. Activation of the HSV-1 Origin-Binding Protein (UL9) by Heat Shock Proteins. 2002. *The Journal of Biological Chemistry*. 560-566

Taylor TJ, Brockman MA, McNamee EE, Knipe DM. Herpes simplex virus. Review. 2002. *Front Biosci.* 7:752-64.

Whitley RJ and Roizmann B. The nine ages of herpes simplex virus. 2001. *Herpes*. 8(1):23-7.