

REFERENCES

1. Strauss J, Strauss E. *Viruses and Human Disease*. 2002. Academic Press, London, UK.
2. Flint SJ, Enquist LW, Racaniello VR, Skalka AM. *Principles of Virology*. 2004. ASM Press, Washington, USA.
3. Ou JHJ. *Hepatitis Viruses*. 2002. Kluwer Academic Publishers, Massachusetts, USA.
4. Marion ME, Feinstone SM. Molecular virology of hepatitis C. *Hepatology* 1997; 25: 1527-1538.
5. Choo QL, Weiner AJ, Overby LR, Bradley DW, Houghton M. Isolation of a cDNA clone derived from a blood-borne non-A, non-B viral hepatitis genome. *Science* 1989; 244: 359-362.
6. Lohmann V, Koch JO, Bartenschlager R. Processing pathways of the hepatitis C virus proteins. *J. Hepatol* 1996; 24: 11-19.
7. Hjikata M, Mizushima H, Tanji Y, Komoda Y, Hirowatari Y, Akagi T, Kato N, Kimuran K, Shimotohno K. Proteolytic processing and membrane association of putative nonstructural proteins of hepatitis C virus. *Proc Natl Acad Sci* 1993; 90: 10773-7.
8. Wang C, Sarnow P, Siddiqui A. Translation of human hepatitis C virus RNA in cultured cells is mediated by an internal ribosome-binding mechanism. *J Virol* 1993; 67: 3338-44.
9. Han JH, Houghton M. Group specific sequences and conserved secondary structures at the 3' end of HCV genome and its implication for viral replication. *Nucl Acids Res* 1992; 20: 3520.

10. Simmonds P, Bukh J, Combet C, et al. Consensus proposals for a unified system of nomenclature of hepatitis C virus genotypes. *Hepatology* 2005; 42: 962-73.
11. Collier L, Oxford J. *Human Virology*. 2006. Oxford University Press, UK
12. Neumann AU, Lam NP, Dahari H, et al. Hepatitis C viral dynamics in vivo and the antiviral efficacy of interferon-alpha therapy. *Science* 1998; 282: 103-7.
13. Brett D. Lindenbach and Charles M Rice. Unravelling hepatitis C virus replication from genome to function. *Nature* 2005; 436: 933-938.
14. Egger D, Wolk B, Gosert R, Bianchi L, Blum HE, Moradpour D, Bienz K. Expression of hepatitis C virus proteins induces distinct membrane alterations including a candidate viral replication complex. *Journal of Virology* 2002; 76: 5974-5984.
15. Genelabs Technologies, Inc. <http://www.genelabs.com/research/antiviral.html>
16. Fried MW, Shiffman ML, Reddy KR, et al. Peginterferon alfa-2a plus ribavirin for chronic hepatitis C virus infection. *N Engl J Med* 2002; 347: 975-982.
17. Weigand K, Stremmel W, Encke J. Treatment of hepatitis C virus infection. *World J Gastroenterol* 2007; 13: 1897-1905.
18. Eisenberg DM, Kessler RC, Van Rompay MI, Kaptchuk TJ, Wilkey SA, Appel S, Davis RB. Perceptions about complementary therapies relative to conventional therapies among adults who use both: results from a national survey. *Ann Intern Med* 2001; 135: 344-51.
19. <http://nccam.nih.gov/>

- 20.** Havsteen B. Flavonoids, a class of natural products of high pharmacological potency. *Biochem Pharmacol* 1983; 32: 1141-1148.
- 21.** Koch H, Tschery J. Splitting of silibinin dihemisuccinate by plasma and liver sterases. *Arch Pharm* 1983; 316: 426-430.
- 22.** Carmen H. et al. Pilot Study of Oral Silibinin, a Putative Chemopreventive Agent, in Colorectal Cancer Patients: Silibinin Levels in Plasma, Colorectum, and Liver and their Pharmacodynamic Consequences. *Clinical Cancer Research* 2006; 12: 2944-2950.
- 23.** Nieto S, Garrido A, Sanhueza J, Loyola L, Morales G, Leighton F, Valenzuela A. Flavonoids as stabilizers of fish oil: An alternative to synthetic antioxidants. *J Am Oil Chem Soc*; 70: 773-78.
- 24.** Sies H. Biochemistry of oxidative stress. *Angew Chem* 1986; 25: 1058-1071.
- 25.** Okuda M, Li K, Beard MR, Showalter LA, Schollu F, Lemon SM, et al. Mitochondrial injury, oxidative stress, and antioxidant gene expression are induced by hepatitis C virus core protein. *Gastroenterology* 2002; 122: 366-375.
- 26.** Korenaga M, Wang T, Li Y, Showalter L, Chan T, Sun J, Weinman S. Hepatitis C Virus core protein inhibits mitochondrial electron transport and increases reactive oxygen species (ROS) production. *The Journal of Biological Chemistry* 2005; 280: 37481-37488.
- 27.** Gong G, Waris G, Tanveer R, Siddiqui A. Human hepatitis C virus NS5A protein alters intracellular calcium levels, induces oxidative stress, and activates STAT-3 and NF-kappa B. *Proc Natl Acad Sci* 2001; 98: 9599-9604.
- 28.** Masini A, Ceccarelli D, Giovannini F, Montosi G, Garuti C, Pietrangelo A. Iron induced oxidant stress leads to irreversible mitochondrial dysfunctions and fibrosis in the

liver of chronic iron-dosed gerbils. The effect of silybin. *J Bioenerg Biomembr* 2000; 32: 174-182.

29. Polyak S, Morishima C, Shuhart M, Wang C, Liu Y, Lee D. Inhibition of T cell inflammatory cytokines, hepatocyte NF-kB signaling, and HCV infection by standardized silymarin. *Gastroenterology* 2007; 132: 1925-1936.

29a. Kim H, Wang X, Galbiati F, Ryter S, Choi A. Caveolae compartmentalization of heme oxygenase-1 in endothelial cells. *FASEB J* 2004; 18: 1080-1089.

29b. Li, V., Ientile, R., Abraham, N., Vanella, A., Cannavo, G., Mazza, F., Curro, M., Racity, G., Avola, R., Campisi, A. Immunocytochemical localization and expression of heme oxygenase-1 in primary astroglial cell cultures during differentiation: effect of glutamate. *Biochem Biophys Res Commun* 2004; 315: 517-524.

30. Shan Y, Lambrecht R, Donohue S, Bonkovsky H. Role of Bach1 and Nrf2 in up-regulation of the heme oxygenase-1 gene by cobal protoporphyrin. *The FASEB Journal* 2006; 20: E2258-E2267.

31. Ghaziani T, Shan Y, Donohue S, Pietshmann T, Bartenschlager R, Bonkovsky H. HCV proteins increase expression of heme oxygenase-1 (HO-1) and decrease expression of Bach1 in human hepatoma cells. *Journal of Hepatology* 2006; 45: 5-12.

32. Jiying S, Hideto H, Kazuaki T, Osamu N, Akihiko M, Hiroshi S, Satoshi T, Satoru T, Shigeki N, Jawed A, Makoto Taketo, Masayuki T, Kazuhiko I. Hemoprotein Bach1 regulates enhancer availability of heme oxygenase-1 gene. *The EMBO Journal* 2002; 21: 5216-5224.

33. Jawed A, Daniel S, Cheri T, Sujji B, Augustine C, Julia C. Nrf2, a Cap'n'Collar transcription factor, Regulates the expression of Heme oxygenase gene. *The Journal of Biological Chemistry* 1999; 274: 26071-26078.

- 34.** Alam J, Shibahara S, Smith A. Transcriptional activation of the heme oxygenase gene by heme and cadmium in mouse hepatoma cells. *J Biol Chem* 1989; 264: 6371-6375.
- 35.** Motohashi H, Shavit JA, Igarashi K, Yamamoto M, Engel JD. The world according to Maf. *Nucleic Acids Res* 1997; 25: 2953–2959.
- 36.** Itoh K, Chiba T, Takahashi S, Ishii, T, Igarashi K, Katoh Y, Oyake T, Hayashi N, Satoh K, Hatayama I, Yamamoto M, Nabeshima Y. An Nrf2/small Maf heterodimer mediates the induction of phase II detoxifying enzyme genes through antioxidant response elements. *Biochem Biophys Res Commun* 1997; 236: 313–322.
- 37.** Alam J, Killeen E, Gong P, Naquin R, Hu B, Stewart D, Ingelfinger JR, Nath KA. Heme activates the heme oxygenase-1 gene in renal epithelial cells by stabilizing Nrf2. *Am J Physiol Renal Physiol* 2003; 284: F743–F752.
- 38.** Bartenschlager R. The hepatitis C virus replicon system: from basic research to clinical applications. *Journal of Hepatology* 2005; 43: 210-216.
- 39.** Lohmann V, Korner F, Koch U, Herian T, Bartenschlager R. Replication of subgenomic hepatitis C virus RNAs in a hepatoma cell line. *Science* 1999; 285: 110–113
- 40.** Kato T, Furusaka A, Miyamoto M, Date T, Yasui K, Hiramoto J, Nagayama K, Tanaka T, Wakita T. Sequence analysis of hepatitis C virus isolated from a fulminant hepatitis patient. *J Med Virol* 2001; 64: 334-339.
- 41.** Flore K, Rosen H, Bermer K. The use of naturopathic remedies for chronic liver diseases [letter]. *Am J Gastroenterol* 1996; 91: 2654-2655.

41a. Bradley P, Dennehy C, Ramirez G, Sapp J. Milk Thistle for the treatment of liver disease: A systematic review and meta-analysis. *The American Journal of Medicine* 2002; 113: 507-515.

41b. Wakita T, Pietschmann T, Kato T, Date T, Miyamoto M, Zhao Z, Murthy K, Habermann A, Krausslich HG, Mizokami M. Production of infectious hepatitis C virus in tissue culture from a cloned viral genome. *Nat Med* 2005; 11: 791-796.

42. Lindenbach B, Meuleman P, Ploss A, Vanwolleghem T, Syder A, McKeating J, Lanford R, Feinstone S, Major M, Leroux-Roels G, Rice C. Cell culture-grown hepatitis C virus is infectious in vivo and can be recultured in vitro. *Proc Natl Acad Sci USA* 2006; 103: 3805-3809.

43. Paula R, Davis-Searles, Yuka Nakanishi, Nam-Cheol Kim, Tyler N. Graf, Nicholas H. Oberlies, Mansukh C. Wani, Monroe E. Wall, Rajesh Agarwal, David J. Kroll. Milk Thistle and Prostate Cancer: Differential Effects of Pure Flavonolignans from *Silybum marianum* on Antiproliferative End Points in Human Prostate Carcinoma Cells. *Cancer Res* 2005; 65: 4448-4457.

44. Singh R, Mallikarjuna G, Sharma G, Dhanalakshmi S, Tyagi A, Chan D, Agarwal C, Agarwal R. Oral silibinin inhibits lung tumor growth in athymic nude mice and forms a novel chemocombination with doxorubicin targeting nuclear factor kappaB-mediated inducible chemoresistance. *Clin Cancer Res* 2004; 10: 8641-8647.

45. Johannes G Bode, et al. IFN- α antagonistic activity of HCV core protein involves induction of suppressor of cytokine signaling-3. *The FASEB Journal* express article 10.1096/fj.02-0664fje. Published online January 22, 2003.

46. Ciccaglione AR, Stellacci E, Marcantonio C, Muto V, Equestre M, Marsili G, Rapicetta M, Battistini A. Repression of Interferon Regulatory Factor 1 by Hepatitis C

Virus Core Protein Results in Inhibition of Antiviral and Immunomodulatory Genes
Journal of Virology 2007; 81: 202–214.

47. Susana de Lucas. Hepatitis C Virus Core Protein Down-Regulates Transcription of Interferon-Induced Antiviral Genes. The Journal of Infectious Diseases 2005; 191: 93–9.

48. Arnab Basu, et al. Hepatitis C Virus Core Protein Modulates the Interferon-Induced Transacting Factors of Jak/ Stat Signaling Pathway But Does Not Affect the Activation of Downstream IRF-1 or 561 Gene. Virology 2001: 288: 379-390.

49. Mary Kathryn Large, et al. Suppression of Host Immune Response by the Core Protein of Hepatitis C Virus: Possible Implications for Hepatitis C Virus Persistence. J Immunol 1999; 162: 931-8.

50. Jay H, Hoofnagle M, Leonard B, Seeff M. Peginterferon and Ribavirin for Chronic Hepatitis C. The New England Journal of Medicine 2006; 355: 2444-2451.

51. Marc aus dem Siepen, Cesar Oniangue-Ndza, Manfred Wiese, Stefan Ross, Michael Roggendorf, Sergei Viazov. Interferon- α and ribavirin resistance of Huh7 cells transfected with HCV subgenomic replicon. Virus Research 2007; 125: 109-113.

52. Ying Pan, Wei Wei, Lei Kang, Zhongqiang Wang, Jiali Fang, Ying Zhu, Jianguo Wu. NS5A protein of HCV enhances HBV replication and resistance to interferon response. Biochemical and Biophysical Research Communications 2007; 359: 70-75.

53. Marc aus dem Siepen, Volker Lohmann, Manfred Wiese, Stefan Ross, Michael Roggendorf, Sergei Viazov. Nonstructural protein 5A does not contribute to the resistance of hepatitis C virus replication to interferon alpha in cell culture. Virology 2005; 336: 131-136.

- 54.** Daniel Martin, Ana Rojo, Marta Salinas, Raquel Diaz, German Gallardo, Jawed Alam, Carlos M. Ruiz de Galarreta, Antonio Cuadrado. Regulation of Heme Oxygenase-1 Expression through the Phosphatidylinositol 3-Kinase/Akt Pathway and the Nrf2 Transcription Factor in Response to the Antioxidant Phytochemical Carnosol. *The Journal of Biological Chemistry* 2004; 279: 8919-8929.
- 55.** Shan Y, Lambrecht R, Ghaziani T, Donohue S, Bonkovsky H. Role of Bach-1 in Regulation of Heme Oxygenase-1 in Human Liver Cells. *The Journal of Biological Chemistry* 2004; 279: 51769-51774.
- 56.** Hui-Chen Lin, Tzu-Hung Cheng, Yen-Chou Chen, Shu-Hui Juan. Mechanism of Heme Oxygenase-1 Gene Induction by Quercetin in Rat Aortic Smooth Muscle Cells. *Pharmacology* 2004; 71: 107-112.
- 57.** Gong G, et al. Human hepatitis C virus NS5A protein alters intracellular calcium levels, induces oxidative stress, and activates STAT-3 and NF-kB. *Proc. Natl. Acad. Sci* 2001; 98: 9599-9604.