

BIBLIOGRAFÍA

- Anders, J.C. 2002. Advances in Amino Acid Analysis. Biopharm Info #18: 32-39.
- Bressani, R. 1991. Protein Quality of High-Lysine Maíz for Humans. Cereal Foods World 36(9): 806-811.
- Cano, P., De Ancos, B., Lobo, G. y Monreal, M. 1996. Carotenoid Pigments and Colour of Hermaphrodite and Female Papaya Fruits (*Carica papaya* L.) cv Sunrise During Post-Harvest Ripening. J. Sci. Food Agric. 71:351-358.
- Delgado-Vargas, F., Jiménez, A. y Paredes-López, O. 2000. Critical Reviews in Food Science and Nutrition. 40(3):173-289.
- E-Siong, T., Ah-Heng, G. y Swan-Choo, K. 1995. Carotenoid composition and content of legumes, tubers and starchy roots by HPLC. Mal. J. Nutr 1: 63-74.
- Castañeda P. R. 1990. El maíz y su cultivo. 1ª ed. A. G. T. Editor, S.A., México.
- Fontaine, J. 2003. Amino Acids in Animal Nutrition. 2ª ed. CAB International.
- Fundación Española para el Desarrollo de la Nutrición Animal (FEDNA).2003. <http://www.uco.es/servicios/nirs/fedna/tablas/cerealTEX.pdf>
- Hallauer, A. (ed). 1994. Specialty Corns. CRC Press, USA.
- Hart, D. y Scott, J. 1995. Development and evaluation of an HPLC method for the analysis of carotenoids in foods, and the measurement of the carotenoid content of vegetables and fruits commonly consumed in the UK. Food Chemistry 54: 101-111.
- Henrikson, R. L. y Meredith, S. C. Anal Biochem. 136(1):65-74.

- Hernández, N. y Carreño, D. Caracterización de los carotenos del melón (*Cucumis melo* L.). *Agronomía Tropical* 27 (4): 465-472.
- INTA Balcarce. Maíz. La calidad del grano. <http://www.a-campo.com.ar/espanol/maiz/maiz3.html>
- Kimura, M. y Rodríguez-Amaya, D. B. 1999. Sources of errors in the quantitative analysis of carotenoids by HPLC. *Archivos Latinoamericanos de Nutrición* 49(1-S): 58-66.
- Kniep, K. R. y Mason, S. C. 1991. Crop Ecology, Production & Management. Lysine and Protein Content of Normal and *Opaque-2* Maize Grain as Influenced by Irrigation and Nitrogen. *Crop Science* 31:177-181.
- Kurilich, A. y Juvik, J. A. 1999. Quantification of Carotenoid and Tocopherol Antioxidants in Zea Mays. *J. Agric. Food Chem.* 47: 1948-1955.
- Landry, J. y Moureaux, T. 1980. Distribution and Aminoacid Composition of Protein Groups Located in Different Histological Parts of Maize Grain. *J. Agric. Food Chem.* 28(6): 1186-1191.
- Leener, A. P., Lambert, W. E. y Van Bocxlaer, J. 2000. Modern Chromatographic Análisis of Vitamins. *Chromatographic Science Series* v. 84. Marcel Dekker, USA.
- Martínez, A. 2001. Carotenoides. Universidad de Antioquia, Colombia.
- Medina, M. L. Y Carreño, D. 1999. Evaluación del material Foliar de rayo de sol como posible fuente de xantofilas. *Agronomía Tropical* 49(4):373-390.
- Mercadante, A. Z. 1999. Cromatographic separation of carotenoids. *Archivos Latinoamericanos de Nutrición* 49 (1-S): 52-57.

- Mercadante, A. Z., Britton, G. y Rodríguez-Amaya, D. 1998. Carotenoids from Yellow Pasi3n Fruti (*Pasiflora edulis*). J. Agric. Food Chem. 46: 4102-4106.
- Mercadante, A. Z., Steck A. y Pfander H.1999. Carotenoids from Guava (*Psidium guajava* L.): Isolation and Structure Elucidation. J. Agric. Food Chem. 47:145-151.
- Moro, G.L., Habben, J. E., Hamaker, B. R., Larkins, B. A. 1996. Characterization of the Variability in Lysine Content for Normal and *opaque2* Maize Endosperm. Crop Science 36: 1651-1659.
- Organizaci3n de las Naciones Unidas para la Agricultura y la Alimentaci3n. 1993. El ma3z en la nutrici3n humana. Colecci3n FAO: Alimentaci3n y nutrici3n, n3mero 25.Roma. <http://www.fao.org/docrep/T0395S/T0395S00.htm>
- Oropeza, E. y Ortiz, L. 1989. Evaluaci3n nutricional de la prote3na del grano de seis cultivares de maiz (*Zea mays* L.). Rey. Fac. Agron. (Maracay), 15: 225-234.
- Paulis, J. W. y Bietz, J. A. 1988. Characterization of Zeins Fractionated by Reversed-Phase High-Performance Liquid Chromatography. Cereal Chemistry 65 (3): 215-222.
- Pellet, P. y Young, V. (eds) 1980. Nutritional Evaluation of Protein Foods. The United Nations University.
- Rodr3guez-Amaya, D. 2001. A Guide to Carotenoid Analysis in Foods. 1^a ed. OMNI Research, USA.
- Rubinson, K. y Rubinson, J. 2000. An3lisis Instrumental. 1^a ed. Prentice Hall, Espa3a.

- Schoefs, B. 2002. Chlorophyll and carotenoid analysis in food products. Properties of the pigments and methods of analysis. Trends in food science & technology 13:361-371.
- Tee E.S., Goh, A. H. y Khor, S.C. 1995. Carotenoid composition and content of legumes, tubers and starchy roots by HPLC. Mal. J. Nutr. 1: 63-74.
- Toro A. A., Oliveira, L., Sodek, L., Lea, P. J. y Antunez, A. A. Distribution of Soluble Amino Acids in Maize Endosperm Mutants. Scientia Agricola 60 (1): 91-96.
- Wathélet, B. 1999. Nutritional analyses for proteins and amino acids in beans (*Phaseolus* sp.). Biotechnol. Agron. Soc. Environ. 3(4): 197-200.
- Zarkadas, C., Yu, Z., Hamilton R. I., Pattison, P. L. y Rose, N. 1995. Comparison between the Protein Quality of Northern Adapted Cultivars of Common Maize and Quality Protein Maize. J. Agric. Food Chem. 43:84-93.
- Zarkadas, C., Hamilton, R., Ran, Z., Choi, V. K., Khanizadeh, S., Rose, N., Pattison, P. L. 2000. Assessment of the Protein Quality of 15 New Northern Adapted Cultivars of Quality Protein Maize Using Amino Acid Analysis. J. Agric. Food Chem. 48:5351-5361.