

## CAPITULO V

### REFERENCIAS

**Alzamora**, S.M., Cerrutti P., Guerrero S. y López-Malo A. 1995. Minimally processed fruits by combined methods. En: *Food Preservation by Moisture Control: Fundamentals and Applications*. Barbosa-Cánovas G.V. y Welti-Chanes J. (Eds). Technomic Publishing Co. Inc. E.U.A. pp. 463-492.

**Alzamora**, S.M. 1997. Preservación. Alimentos Conservados por Factores Combinados. En: J.M. Aguilera (Ed). *Termas en Tecnología de Alimentos*. 1. México. CYTED. IPN, pp. 45-88.

**Alzamora**, S.M. López-Malo, A. 2000. Microbial Behavior Modeling as a Tool in the Design and Control of Minimally Processed Foods. En: *Engineering and Food for the 21<sup>st</sup> Century*. Welti-Chanes J., Barbosa-Cánovas G., y Aguilera J.M. (Eds.). CRC Press. E.U.A. pp. 631-650.

**Anónimo**. 2001. Spiral Gradient Endpoint. Manual del usuario. Spiral Biotech, Inc. USA.

**Argaiz**, A., López-Malo, A., y Welti-Chanes, J. 1995. Considerations for the development and the stability of high moisture fruit products during storage. In: *Food Preservation by Moisture Control*. Welti-Chanes, J. y Barbosa Cánovas, G. (Eds) Technomic Publishing Co. hc. E.U.A. pp. 729-760.

**Arya**, S.S., Thakur, B.R., 1988. Degradation products of sorbic acid in aqueous solutions. *Food Chem.* 29, 41-49.

**Barry**, A.L. 1976. "The Antimicrobial Susceptibility Test: Principles and practices. Lea and Febiger, Philadelphia.

**Barry**, A.L. 1986. Procedure of testing antimicrobial agents in agar media: "Theoretical considerations. In *Antibiotics in Laboratory Medicine*, 2<sup>nd</sup> ed., Lorian, V., Ed., Williams & Wilkins, Baltimore, p.1.

**Berenbaum, M.C.** 1978. A Method for Testing for Synergy with Any Number of Agents. *J. of Infectious Diseases*. 137(2):122-130.

**Berenbaum, M.C., Yu, V.L. y Felegie, T.P.** 1983. Synergy with double and triple antibiotic combinations compared. *Journal of antimicrobial Chemotherapy*. 12:555-563.

**Berenbaum, M.C.** 1980. Correlations between Methods for Measurement of Synergy. *J.Infect. Dis.* 142(3)476-480.

**Beuchat, L.R. & Golden, D.A.** 1989. Antimicrobials occurring naturally in foods. *Food Technol.* 43(1):134-142.

**Beuchat, L.R.** Antimicrobial properties of spices and their essential oils. En: Dillon VM, Board RG, eds. *Natural Antimicrobials Systems and Food Preservations*. Wallingford, England: CAB Intl; 1994:167-179.

**Board, R.G. y Gould, G. W.** 1991. Future prospects, in *Food Preservatives*. En N.J. Russel y G.W. Gould (Ed). Glasgow and London: Blackie Academic and Profesional, pp. 267-283.

**Brul, S., Coote, P.** 1999. Preservative agents in foods. Mode of action and microbial resistance mechanisms. *Int. J.Food Microbiol.* 50, 1-17.

**Conner, D. E. & Beuchat, L. R.** 1984. Effects of essential oils from plants on grow of food spoilage yeasts. *J. Food Sci.* 49:429-434.

**Dalgaard, P., Ross, T., Kamperman, I., Neumeyer, K., McMeekin, T.A.,** 1994. Estimation of bacterial growth rates from turbidimetric and viable count data. *Int. J.Food Microbiol.* 23, 291-404.

**Davidson, P.M. & Parish, M.E.** 1989. Methods for testing the efficacy of food antimicrobials. *Food Technol.* 43(1):148-155.

**Davidson**, P.M. y Branen, A. L. 1993. (Ed), Antimicrobial in Foods. Marcel Dekker, Inc., New York. pp. 95-136.

**Davidson**, P.M. 1996. Chemical preservatives and natural antimicrobial compounds. En: Food Microbiology-Fundamentals and Frontiers. M.P. Doyle, L.r. Beuchat & T.J. Montville (Eds.). Washington DC:ASM Press. pp. 520-556.

**Eklund**, T. 1989. Organic acids and esters. En Mechanisms of Action of Food Preservation Procedures. G.W. Gould (Ed). Elsevier Applied Science, London. pp. 161-200.

**Eliopoulos**, G. M. y Moellering, R.C. Jr. 1991. Antimicrobial Combinations. En Antibiotics in Laboratory Medicine. V. Lorian (Ed). 3a ed. Williams and Wilkins. E.U.A. pp. 432-492.

**Farag**, R.S. Dawn, Z. Y. Hewedi, F.M. y El Baroty, G.S.A. 1989. Antimicrobial activity of some Egyptian spice essential oils. En: J. Food. Prot. 52:665.

**Giannuzzi**, L., Contreras, E., Zatzky, N. 1998. Modling the Aerobic Growth and Decline of *Staphylococcus aureus* as Affected by pH and Potassium Sorbate Concentration. Journal of Food Protection. 62(4):356-362.

**Gibson**, A. M., & Hocking, A.D. 1997. Advances in the predictive modelling of fungal growth in food. Trends Food Sci. Technol. 8:353-359.

**Giese**, J. 1994. Antimicrobials: assuring food safety. Food Technology. 48(6).102-110.

**Gould**, G.W. 1988. Interferente with Homeostasis-Food. En: R. Whittenbury, G.W. Gould, J.G. Banks y R.G. Board (Eds.) Homeostatic Mechanisms in microorganisms. Bath University Press, Bath. pp. 220-228. Citado en: López-Malo, A. 2000. La preservación Multiobjetivo de Alimentos: Efecto de Factores Tradicionales y Emergentes en la Respuesta de *Aspergillus flavus*. Tesis doctoral. Universidad de Buenos Aires.

**Gould**, G.W. y Russell, N.J. 1991. Major food-poisoning and food-spoilage microorganisms. En: N.J. Russel y G.W. Gould (Eds.). Food Preservatives. Blackie & Son Ltd Glasgow. Pp. 1-12. Citado en: López-Malo, A. 2000. La Preservación Multiobjetivo de Alimentos: Efecto de factores Tradicionales y Emergentes en la Respuesta de *Aspergillus flavus*. Tesis doctoral. Universidad de Buenos Aires.

**Gould**, G.W. 1995. Homeostatic mechanisms during food preservation by combined methods. In: Food microbiology, advances and prospects. Ed. Roberts, T.A., y Skinner, F.A. Academic Press, N.Y.

**Gould**, G.W. 1996. Industry perspectives on the use of natural antimicrobials and inhibitors for food applications. J. Food Prot. Supplement 82-86.

**Helander**, I.M., Alakomi, H. L., Latva-Kala, k., Mattila-Sandholm, T., Pol, I., Smid, E. J., Gorris, L.G.m., von Wright, A. 1998. Characterisation of the action of selected essential oil components on gram-negative bacteria. J. Agric. Food Chem. 46, 3590-3595.

**Hosmer**, D. W. & S. Lemeshow. 1989. Applied Logistic Regression. John Wiley & Sons. New York.

**Jay**, J. 1991. Modern Food Microbiology. Chapman & Hall. New York.

**Jay**, J. 1992. Modern Food Microbiology. 4ta. Ed. Van Nostrand Reinhold, New York.

**Jorgensen**, H.L., Schulz, E. 1985. Turbidimetric measurement as a rapid method for the determination of the bacteriological quality of minced meat. International Journal of Food Microbiology. 2(3):177-183.

**Juven**, B. J., Kanner, J., Schved, F., Weissolowics, H. 1994. Factors that interact with the antibacterial action of thyme essential oils and its active constituents. *J. Appl. Bacteriol.* 76:626-631.

**Kabara**, J.J. 1993. Medium-chain fatty acids and esters. En: *Antimicrobials in foods*. PM Davidson & AL Branen (Ed.) Marcel Dekker, Inc. New York.

**Labuza**, T.P., Fu, B. y Taoukis, P.S. 1992. Prediction for shelf life safety of minimally processed CAP/MAP chilled foods: A Review. *J. Food Prot.* 55:741-750.

**Leistner**, L. 1995. Principles and applications of hurdle technology. In *New Methods of Food Preservation*, ed. G.W. Gould. Blackie Academic & Professional, Glasgow, UK., pp 1-21.

**Lemeshow**, S. & Hosmer, D.W: 1982. A review of goodness of fit statistics for use in the development of logistic regression models. *American J. Epidemiol.* 115:92-108.

**León**, R. 2002. Espectro de Acción de Mezclas Ternarias de Agentes Antimicrobianos. Tesis. Universidad de las Américas Puebla, Cholula -Puebla. México.

**Liewen**, M.B., y Math, E.H. 1985. Growth and inhibition of microorganisms in the presence of sorbic acid. *Journal of Food Protection.* 48:364.

**López-Malo**, A. 1995. Efecto de diversos factores sobre la capacidad antimicótica de vainillina. Tesis de Maestría. Universidad de las Américas-Puebla.

**López-Malo**, A., Alzamora, S.M. & Guerrero, S. 2000. Natural antimicrobials from plants. En: *Minimally Processed Fruits and Vegetables. Fundamental Aspects and Applications.* S.M. Alzamora, MS Tapia, & A López-Malo (Ed.) Aspen Publishers, Inc. New York.

**Matamoros-León**, B. Argaiz, A. y López-Malo, A. 1999. Individual and combined effects of vanillin and potassium sorbate on *Penicillium digitatum*, *P. glabrum* and *P. italicum* growth. *J. Food Prot.* In press.

**McMeekin**, T.A., Olley, J.N., Ross, T., y Ratkowsky, D.A. 1993. *Predictive Microbiology: Theory and Application*. Research Studies Press, Ltd. Inglaterra.

**Monzón**, M. Orteiza, C., Leiva, J. y Amorena, B. 2001. Synergy of different antibiotic combinations in biofilms of *Staphylococcus epidermis*. *J. of Antimicrobial Chemotherapy*. 48, 793-801.

**Mossel**, D.A.A. e Igram, M. 1955. The physiology of the microbial spoilage of foods. *J. Appl. Bacteriol.*, 18:232. Citado en: Alzamora, S.M. 1997. *Preservación. Alimentos conservados por factores combinados*. En J.M. Aguilera (Ed). *Temas en Tecnología de Alimentos*. 1. México CYTED. IPN pp. 45-88.

**Mossel**, D.A.A. 1983. *Essentials and perspectives of the microbial ecology of foods*. En *Food Microbiology. Advances and Prospects*. Society for Appl. Bacteriol. Symposium Series No. 11. T.A. Roberts, F.A.Skinner (Eds). P.1. Academic Press, London. Citado en Alzamora, S.M. 1997. *Preservación. Alimentos conservados por factores combinados*. En: J.M. Aguilera (Ed). *Temas en Tecnología de Alimentos*. 1. México CYTED. IPN pp. 45-88.

**Newmark**, H.L. 1992. Plant phenolic compounds as inhibitors of mutagenesis and carcinogenesis. En: *Phenolic Compounds in Food and their Effect on Health II, Antioxidants and Cancer Prevention*. M.Huang, c. Ho & C.Y. Lee (Eds.). ACS Symposium Series, Washington, D.C.

**NCCLS**. 1999. *Methods for determining bactericidal activity of antimicrobial agents*. Approved Guideline, National Committee for Clinical Laboratory Standards, Wayne, PA.

**Nychas**, G.J.E. 1995. Natural antimicrobials from plants. En New Methods of Food Preservation. Ed. G.W. Gould. Blackie Academic and Professional. Glasgow.

**Perry**, J.J., Staley, J.T. 1997. Microbiology dynamics ad diversity, Saunders College Publishing, Fort Worth.

**Piddock**, L. J. 1990. Techniques used for determination of antimicrobial resistance and sensitivity in bacteria. J.Appl. Bacteriol. 68:307.

**Pelczar**, M., Reid, R., Chan, E. 1995. Microbiología. McGraw-Hill. México

**Pethybridge**, A.D., Ison, R.W., Harrigan, W.F. 1983. Dissociation constant of sorbic acid in water and water-glycerol mixtures at 25°C from conductance measurements. J. Food. Technol. 18:789-796.

**Ponce**, A.G., Fritz, R., del Valle, C., Roura, S.I. 2003. Antimicrobial activity of essential oils on the native microflora of organic Swiss chard. Technol. 36, 679-684.

**Prindle**, R. F. & Wright, E.S. 1977. Phenolic compounds. En: Disinfection, Sterilization and Preservation. S.S. Block (Ed.). Lea & Febiger, Philadelphia.

**Rattanasomboon**, N., Bellara, S.R., Harding, C.L., Fryer, P.J., Thomas, C.R., Al-Rubeai, M., McFarlane, C.M. 1999. Grow and enumeration of the meat spoilage bacterium *Brochothrix thermosphacta*. Int. J. Food Microbiol. 51, 145-158.

**Rivera**, K. 2002. Mezclas de Antimicrobianos como Agentes Fungistáticos o Fungicidas para la Inhibición de *Zygosaccharomyces bailii*. Tesis de Maestría. Universidad de las Américas, Puebla.

**Santiesteban**, L.N.A. 2002. Agentes Antibacterianos de Amplio Espectro a partir de Mezclas de Antimicrobianos Sintéticos y Naturales. Tesis de Maestría. Universidad de las Américas, Puebla.

**Singleton**, V.L. 1981. Naturally occurring food toxicants: Phenolic substances of plant origin common in foods. En: *Advances in Food Research*. Vol.27. Ed. C.O. Chichester, E.M. Mrak & G.F. Stewart. Academic Press, Inc. New York.

**Shelef**, L.A. 1983. Antimicrobial effects of spices. *J.Food Safety*. 6:29-44. Citado en: Welti-Chanes, J., Vergara-Balderas, F., y López-Malo, A. 1997. Minimally Processed Foods State of the Art and Future. En: P. Fito, E. Ortega-Rodriguez y G. Barbosa-Cánovas (Eds). *Food Engineering 2000*. E.U.A. Chapman & Hall. Pp. 181-212.

**Sofos**, J. N. 1989. *Sorbate Food Preservatives*. CRC Press, Inc. Boca Raton, Florida.

**Sofos**, J.N., Busta, F.F. 1992. Sorbic acid and sorbates. In *Antimicrobials in Foods*, (Ed.) P.M. Davidson y A.L. Branen. Marcel Dekker, Inc., New York., pp 49-94.

**Sofos**, J.N., Beuchat, L.R., Davidson, P.M. & Jonhson, E.A. 1998. *Naturally Occurring Antimicrobials in Food Preservation*. Council for Agricultural Science and Technology (CAST). AMES, IA.

**Skandamis**,P., Koutsoumanis, K., Fasseas, K., & Nychas, G.J.E. 2001. Inhibition of oregano essential oil and EDTA on *E. coli* 0157:H7. *Italian Journal of Food Science*, 13, 65-75.

**Troller**, J.A. 1987. Adaptation and growth of microorganisms in environments with reduced water activity. En: Barbosa-Cánovas, G.V. y Welti-Chanes, J., (Eds.). *Food preservation by moisture control*. Technomic Publishing Co. E.U.A. 575-593.



**Thrupp**, L.D. 1986. Susceptibility testing of antibiotics in liquid media. In Antibiotics in Laboratory Medicine, 2<sup>nd</sup>, ed., Lorian, V., Ed., Williams & Wilkins, Baltimore, p.93.

**Weisburger**, J.H. 1992. Mutagenic, carcinogenic and chemopreventive effects of phenols and catechols. En: Phenolic Compounds in Food and their Effect on Health II, Antioxidants and Cancer Prevention. Ed. M. Huang, C. Ho & C.Y. Lee. ACS Symposium Series, Washington, D.C.

**Welbourn**, J. 1994. Developing antimicrobial systems. En: Food Technology. 48(6):172.

**Welti-Chanes**, J., Vergara-Balderas, F. y López-Malo, A. 1997. Minimally processed foods, state of the art and future. En: Food Engineering 2000. Fito, P., Ortega, E., Barbosa-Cánovas, G. (Eds). Chapman y Hall.

**Whiting**, R.C. y Buchanan, R.L. 1994. Microbial modeling. IFT Scientific Status Summary. Food Technol. 48:113.

**Whiting**, R.C. & J.C. Oriente. 1997. Time-to-turbidity model for non-proteolytic type B *Clostridium Botulinum*. Int. J. Food Microbiol. 35:49.60.

**Wilkins**, K.M. & Board, R.G. 1989. Natural antimicrobial systems. En: Mechanisms of Action of Food Preservation Procedures. G.W. Gould (Ed.). Elsevier Science Publishers Ltd. New York.

**Zaika**, L.L. 1998. Spices and herbs: their antimicrobial activity and its Determination. J. Food Safety. 9, 97-118.