

Referencias

- Abbas, O. A. (2008). Comparisons between data clustering algorithms. *The International Arab Journal of Information Technology*, 5(3), 320–325.
- Andrews, K., & Heidegger, H. (1998). Information slices: Visualising and exploring large hierarchies using cascading, semi-circular discs. En *Proc of IEEE Infovis' 98 late breaking Hot Topics* (pp. 9–11). Recuperado a partir de http://www.iicm.tugraz.at/liberation/iicm_papers/ivis98.pdf?classname=ChangeLanguageHandler&methodname=showLanguage&static=true&language=en
- Bação, F., Lobo, V., & Painho, M. (2005). Self-organizing maps as substitutes for k-means clustering. En *Proceedings of the 5th international conference on Computational Science - Volume Part III* (pp. 476–483). Berlin, Heidelberg: Springer-Verlag. doi:10.1007/11428862_65
- Balzer, M., & Deussen, O. (2005). Voronoi Treemaps. En *Proceedings of the Proceedings of the 2005 IEEE Symposium on Information Visualization* (p. 7–). Washington, DC, USA: IEEE Computer Society. doi:10.1109/INFOVIS.2005.40
- Buchel, O. (Olha). (2011). Designing map-based visualizations for collection understanding. En *Proceedings of the 11th annual international ACM/IEEE joint conference on Digital libraries* (pp. 429–430). New York, NY, USA: ACM. doi:10.1145/1998076.1998169
- Card, S. K., Mackinlay, J. D., & Shneiderman, B. (Eds.). (1999). *Readings in information visualization: using vision to think*. San Francisco, CA, USA: Morgan Kaufmann Publishers Inc.
- Chang, M., Leggett, J. J., Furuta, R., Kerne, A., Williams, J. P., Burns, S. A., & Bias, R. G. (2004). Collection understanding. En *Proceedings of the 4th ACM/IEEE-CS joint conference on Digital libraries* (pp. 334–342). New York, NY, USA: ACM. doi:10.1145/996350.996426
- Chen, H., Houston, A. L., Sewell, R. R., & Schatz, B. R. (1998). Internet Browsing and Searching: User Evaluation of Category Map and Concept Space Techniques. *Journal of the American Society for Information Science*,

- Special Issue on AI Techniques for Emerging Information Systems Applications*, 49(7). Recuperado a partir de <http://hdl.handle.net/10150/105118>
- Chen, Y., Wang, L., Dong, M., & Hua, J. (2009). Exemplar-based Visualization of Large Document Corpus (InfoVis2009-1115). *IEEE Transactions on Visualization and Computer Graphics*, 15(6), 1161–1168. doi:10.1109/TVCG.2009.140
- Clarkson, E., Desai, K., & Foley, J. (2009). ResultMaps: Visualization for Search Interfaces. *IEEE Transactions on Visualization and Computer Graphics*, 15(6), 1057–1064. doi:10.1109/TVCG.2009.176
- Collins, C., Carpendale, S., & Penn, G. (2009). Docuburst: visualizing document content using language structure. En *Proceedings of the 11th Eurographics / IEEE - VGTC conference on Visualization* (pp. 1039–1046). Aire-la-Ville, Switzerland, Switzerland: Eurographics Association. doi:10.1111/j.1467-8659.2009.01439.x
- Dörk, M., Carpendale, S., Collins, C., & Williamson, C. (2008). VisGets: Coordinated Visualizations for Web-based Information Exploration and Discovery. *IEEE Transactions on Visualization and Computer Graphics*, 14(6), 1205–1212. doi:10.1109/TVCG.2008.175
- Dörk, M., Williamson, C., & Carpendale, S. (2012). Navigating tomorrow's web: From searching and browsing to visual exploration. *ACM Trans. Web*, 6(3), 13:1–13:28. doi:10.1145/2344416.2344420
- Faber, V. (1994). Clustering and the Continuous k-Means Algorithm. Recuperado a partir de http://www.sciencemadness.org/lanl1_a/lib-www/pubs/00412967.pdf
- Fan, J., Gao, Y., Luo, H., Keim, D. A., & Li, Z. (2008). A novel approach to enable semantic and visual image summarization for exploratory image search. En *Proceedings of the 1st ACM international conference on Multimedia information retrieval* (pp. 358–365). New York, NY, USA: ACM. doi:10.1145/1460096.1460155
- Fritzke, B. (1995). Growing Grid — a self-organizing network with constant neighborhood range and adaptation strength. *Neural Processing Letters*, 2(5), 9-13. doi:10.1007/BF02332159
- García, E. A. V., de la Escalera Castells, N. M., Calvet, H. C., Ávila, M. C. T., & Sánchez, M. V. G. (s. f.). Aplicación del sistema ViBlioSOM al Análisis de Trayectorias Académicas.
- Granitzer, M., Kienreich, W., Sabol, V., Andrews, K., & Klieber, W. (2004). Evaluating a System for Interactive Exploration of Large, Hierarchically Structured Document Repositories. En *Proceedings of the IEEE Symposium on Information Visualization* (pp. 127–134). Washington, DC, USA: IEEE Computer Society. doi:10.1109/INFOVIS.2004.19

- Hornbæk, K., & Hertzum, M. (2011). The notion of overview in information visualization. *Int. J. Hum.-Comput. Stud.*, 69(7-8), 509–525. doi:10.1016/j.ijhcs.2011.02.007
- Hsiao, P.-L. (2010). *Visualization of large document collections*. North Carolina State University.
- Iwata, T., Yamada, T., & Ueda, N. (2008). Probabilistic latent semantic visualization: topic model for visualizing documents. En *Proceedings of the 14th ACM SIGKDD international conference on Knowledge discovery and data mining* (pp. 363–371). New York, NY, USA: ACM. doi:10.1145/1401890.1401937
- Kohonen, T., Schroeder, M. R., & Huang, T. S. (Eds.). (2001). *Self-Organizing Maps* (3rd Ed.). Secaucus, NJ, USA: Springer-Verlag New York, Inc.
- Krestel, R., Demartini, G., & Herder, E. (2011). Visual interfaces for stimulating exploratory search. En *Proceedings of the 11th annual international ACM/IEEE joint conference on Digital libraries* (pp. 393–394). New York, NY, USA: ACM. doi:10.1145/1998076.1998151
- Lagus, K., Kaski, S., & Kohonen, T. (2004). Mining massive document collections by the WEBSOM method. *Inf. Sci.*, 163(1-3), 135–156. doi:10.1016/j.ins.2003.03.017
- Latif, K., & Mayer, R. (2007). Sky-Metaphor Visualisation for Self-Organising Maps. En *Proceedings of the 7th International Conference on Knowledge Management (I-KNOW'07)*. Graz, Austria.
- Lee, H.-L. (2000). What is a collection? *Journal of the American Society for Information Science*, 51(12), 1106–1113. doi:10.1002/1097-4571(2000)9999:9999<::AID-ASI1018>3.0.CO;2-T
- Lehmann, S., Schwanecke, U., & Dörner, R. (2010). Interactive visualization for opportunistic exploration of large document collections. *Inf. Syst.*, 35(2), 260–269. doi:10.1016/j.is.2009.10.004
- Lin, X. (1997). Map displays for information retrieval. *J. Am. Soc. Inf. Sci.*, 48(1), 40–54. doi:10.1002/(SICI)1097-4571(199701)48:1<40::AID-ASI6>3.0.CO;2-1
- Marchionini, G. (2006). Exploratory search: from finding to understanding. *Commun. ACM*, 49(4), 41–46. doi:10.1145/1121949.1121979
- Mayer, R., Aziz, T. A., & Rauber, A. (2007). Visualising class distribution on self-organising maps. En *Proceedings of the 17th international conference on Artificial neural networks* (pp. 359–368). Berlin, Heidelberg: Springer-Verlag. Recuperado a partir de <http://dl.acm.org/citation.cfm?id=1778066.1778108>

- Mirizzi, R., & Di Noia, T. (2010). From exploratory search to web search and back. En *Proceedings of the 3rd workshop on Ph.D. students in information and knowledge management* (pp. 39–46). New York, NY, USA: ACM. doi:10.1145/1871902.1871910
- Neumayer, R., Mayer, R., Pözlbauer, G., & Rauber, A. (2007). The Metro Visualisation of Component Planes for Self-Organising Maps. En *Proceedings of the International Joint Conference on Neural Networks (IJCNN'07)*. Orlando, Florida, USA: IEEE Computer Society.
- Nolan, M. (2008). IA column: Exploring exploratory search. *Bulletin of the American Society for Information Science and Technology*, 34(4), 38–41. doi:10.1002/bult.2008.1720340410
- Pampalk, E., Rauber, A., & Merkl, D. (2002). Using Smoothed Data Histograms for Cluster Visualization in Self-Organizing Maps. En *Proceedings of the International Conference on Artificial Neural Networks* (pp. 871–876). London, UK, UK: Springer-Verlag. Recuperado a partir de <http://dl.acm.org/citation.cfm?id=646259.684929>
- Pözlbauer, G., Rauber, A., & Dittenbach, M. (2005). Advanced visualization techniques for self-organizing maps with graph-based methods. En *Proceedings of the Second international conference on Advances in neural networks - Volume Part II* (pp. 75–80). Berlin, Heidelberg: Springer-Verlag. Recuperado a partir de <http://dl.acm.org/citation.cfm?id=1986381.1986394>
- Rauber, A. (1999). LabelSOM: on the labeling of self-organizing maps. En *International Joint Conference on Neural Networks, 1999. IJCNN '99* (Vol. 5, pp. 3527-3532 vol.5). Presentado en International Joint Conference on Neural Networks, 1999. IJCNN '99. doi:10.1109/IJCNN.1999.836235
- Rauber, A., Merkl, D., & Dittenbach, M. (2002). The growing hierarchical self-organizing map: exploratory analysis of high-dimensional data. *IEEE Transactions on Neural Networks*, 13(6), 1331-1341. doi:10.1109/TNN.2002.804221
- Rauber, A., & Merkl, D. (1999). SOMLib: A Digital Library System Based on Neural Networks. En *ACM DL* (pp. 240-241). ACM. Recuperado a partir de <http://dblp.uni-trier.de/db/conf/dl/dl99.html#RauberM99>
- Reitsma, R., Trubin, S., & Mortensen, E. (2007). Weight-proportional Space Partitioning Using Adaptive Voronoi Diagrams. *Geoinformatica*, 11(3), 383–405. doi:10.1007/s10707-006-0006-8
- Rohrer, R. M., & Swing, E. (1997). Web-Based Information Visualization. *IEEE Comput. Graph. Appl.*, 17(4), 52–59. doi:10.1109/38.595269

- Rusu, D., Fortuna, B., Mladeníć, D., Grobelnik, M., & Šipos, R. (2009). Visual analysis of documents with semantic graphs. En *Proceedings of the ACM SIGKDD Workshop on Visual Analytics and Knowledge Discovery: Integrating Automated Analysis with Interactive Exploration* (pp. 66–73). New York, NY, USA: ACM. doi:10.1145/1562849.1562857
- Shneiderman, B. (1996). The Eyes Have It: A Task by Data Type Taxonomy for Information Visualizations. En *Proceedings of the 1996 IEEE Symposium on Visual Languages* (p. 336–). Washington, DC, USA: IEEE Computer Society. Recuperado a partir de <http://dl.acm.org/citation.cfm?id=832277.834354>
- Sotolongo, G., Guzmán, M., & Carrillo, H. (2002). ViBlioSOM: Visualización de información bibliométrica mediante el mapeo autoorganizado. *Revista española de Documentación Científica*, 25(4): doi: 10.3989/redc.2002.v25.i4.281
- Spanakis, G., Siolas, G., & Stafylopatis, A. (2012). DoSO: a document self-organizer. *Journal of Intelligent Information Systems*, 39(3), 577-610. doi:10.1007/s10844-012-0204-9
- Spence, R. (2007). *Information Visualization: Design for Interaction* (2.^a Ed.). Prentice Hall.
- Stasko, J., Görg, C., & Liu, Z. (2008). Jigsaw: supporting investigative analysis through interactive visualization. *Information Visualization*, 7(2), 118–132. doi:10.1145/1466620.1466622
- Strobelt, H., Oelke, D., Rohrdantz, C., Stoffel, A., Keim, D. A., & Deussen, O. (2009). Document Cards: A Top Trumps Visualization for Documents. *IEEE Transactions on Visualization and Computer Graphics*, 15(6), 1145–1152. doi:10.1109/TVCG.2009.139
- Thai, V. T., & Handschuh, S. (2009). IVEA: toward a personalized visual interface for exploring text collections. En *Proceedings of the 14th international conference on Intelligent user interfaces* (pp. 479–480). New York, NY, USA: ACM. doi:10.1145/1502650.1502724
- Trubin, S. I. (2006). Information Space Mapping with Adaptive Multiplicatively Weighted Voronoi Diagrams. Recuperado a partir de <http://citeseer.uark.edu:8080/citeseerx/viewdoc/summary?doi=10.1.1.131.3622>
- Tufte, E. R. (2006). *Beautiful Evidence* (1st Edition.). Graphics Pr.
- Turetken, O., & Sharda, R. (2005). Clustering-Based Visual Interfaces for Presentation of Web Search Results: An Empirical Investigation. *Information Systems Frontiers*, 7(3), 273–297. doi:10.1007/s10796-005-2770-7

- Tvarozek, M., & Bieliková, M. (2008). Collaborative multi-paradigm exploratory search. En *Proceedings of the hypertext 2008 workshop on Collaboration and collective intelligence* (pp. 29–33). New York, NY, USA: ACM. doi:10.1145/1379157.1379165
- Ultsch, A. (2003). Maps for the Visualization of high-dimensional Data Spaces. En *In Proceedings Workshop on Self-Organizing Maps (WSOM 2003)* (pp. 225–230). Kyushu, Japan.
- Wang, T. D., & Parsia, B. (2006). CropCircles: topology sensitive visualization of OWL class hierarchies. En *Proceedings of the 5th international conference on The Semantic Web* (pp. 695–708). Berlin, Heidelberg: Springer-Verlag. doi:10.1007/11926078_50
- Wang, Y., Shearer, J., & Ma, K.-L. (2007). ViCA: a voronoi interface for visualizing collaborative annotations. En *Proceedings of the 4th international conference on Cooperative design, visualization, and engineering* (pp. 21–32). Berlin, Heidelberg: Springer-Verlag. Recuperado a partir de <http://dl.acm.org/citation.cfm?id=1776926.1776929>
- Wei, F., Liu, S., Song, Y., Pan, S., Zhou, M. X., Qian, W., Zhang, Q. (2010). TIARA: a visual exploratory text analytic system. En *Proceedings of the 16th ACM SIGKDD international conference on Knowledge discovery and data mining* (pp. 153–162). New York, NY, USA: ACM. doi:10.1145/1835804.1835827
- Wilson, M. L., Kules, B., & Schraefel, M. C. (2010). *From Keyword Search to Exploration*. Hanover, MA, USA: Now Publishers Inc.
- Yi, J. S., Kang, Y., Stasko, J. T., & Jacko, J. A. (2008). Understanding and characterizing insights: how do people gain insights using information visualization? En *Proceedings of the 2008 Workshop on beyond time and errors: novel evaluation methods for Information Visualization* (pp. 4:1–4:6). New York, NY, USA: ACM. doi:10.1145/1377966.1377971
- Zhang, Y., & Li, T. (2012). DClusterE: A Framework for Evaluating and Understanding Document Clustering Using Visualization. *ACM Trans. Intell. Syst. Technol.*, 3(2), 24:1–24:24. doi:10.1145/2089094.2089100
- Zhang, Y., Wang, D., & Li, T. (2010). VisualSum: an interactive multi-document summarizationsystem using visualization. En *Proceedings of the 33rd international ACM SIGIR conference on Research and development in information retrieval* (pp. 857–858). New York, NY, USA: ACM. doi:10.1145/1835449.1835651
- Best Practices: Maximum Elements For Different Visualization Types. (n.d.). *Visual.ly Blog*. Retrieved June 15, 2013, from <http://blog.visual.ly/maximum-elements-for-visualization-types/>