Bibliografía

[1] Autonomy Systems, Virage, consulta 2007. http://www.virage.com/content/.

[2] John Smith, Shih-Fu Chang, VisualSEEK, New York, USA, (1996), consulta Mayo 2007. http://skye.ee.columbia.edu/dvmm/researchProjects/MultimediaIndexing/VisualSEEk/acmmm96/acmfin.html

[3] IBM Corporation, QBIC (Query by Image Content.), 2003, consulta Noviembre 2006, http://wwwqbic.almaden.ibm.com/

[4] C & C Research Laboratories NEC USA, Inc. AMORE (Advanced Multimedia Oriented Retrieval Engine), consulta Noviembre 2006. http://www.aa-lab.cs.uu.nl/cbirsurvey/cbir-survey/node6.html

[5] Sadegh Abbasi, SQUID, 1997, consulta Mayo 2007 http://www.ee.surrey.ac.uk/Research/VSSP/imagedb/demo.html

[6] Ben Bradshaw. Semantic Based Image Retrieval: A Probabilistic Approach. Microsoft Research, St. George House, Guildhall St. Cambridge, England. ACM Multimedia, Oct. 2000.

[7] C.-H. Wei, C.-T. Li, and R. Wilson, "A content-based approach to medical image database retrieval," In: Z.M. Ma (Ed), Database Modeling for Industrial Data Management: Emerging Technologies and Applications, pp. 258-291, Idea Group Publishing: Hershey, PA, USA, 2006.

[8] El-Naqa, I., Yang, Y., Galatsanos, N. P., Nishikawa, R. M., & Wernick, M. N. "A similarity learning approach to content-based image retrieval: Application to digital mammography". IEEE Transactions on Medical Imaging, *23*(10), 1233-1244. 2004.

[9] Tim Berners-Lee, James Hendler, Ora Lassila, "The Semantic Web", Scientific American, May 2001.

[10] Jia Li and James Z. Wang. Stanford University. SIMPLIcity. (Semantics-sensitive Integrates Mathching). 1999-2000 consulta Mayo 2007. http://wang14.ist.psu.edu/cgi-bin/zwang/regionsearch_show.cgi

[11] P.F. Whelan and D. Molloy, NeatVision. Vision System Group, Machine Vision Algorithms in Java: Techniques and Implementation, Springer (London). 2000, consulta Mayo 2007. http://ww.neatvision.com.

[12] MVTec Software GmbH. Halcón. 2005, consulta Mayo 2007. http://www.mvtec.com/halcon

[13] Jia Li and James Z. Wang, A-LIP (Automatic Linguistic Indexing of Pictures). 2001-2003, consulta Mayo 2007. http://wang.ist.psu.edu/IMAGE/alip.html

[14] Sougata Mukherjea, Junghoo Cho: Automatically Determining Semantics for World Wide Web Multimedia Information Retrieval. J. Vis. Lang. Comput. 10(6): 585-606 (1999).

[15] Dr. Ze-Nian Li and Dr. Mark S. Drew Vision and Media Lab, Simon Fraser University, C-BIRD (Content-Based Image Retrieval from Digital libraries), consulta Mayo 2007. http://www.cs.sfu.ca/research/groups/VML/about.html#cbir

[16] Ph.D Qasim Iqbal. Computer and Vision Research Center (CVRC). University of Texas at Austin, CIRES. (Content Based Image REtrieval System), consulta Mayo 2007. http://amazon.ece.utexas.edu/~qasim/research.htm

[17] Qasim Iqbal and J.K. Aggarwal. Feature Integration, Multi-image Queries and RF in Image Retrieval. 6th. International. Conference on Visual Information System (VISUAL) 2003. pp. 467-474 Miami, Florida 2003.

[18] Excalibur Technologies. Excalibur Visual RetrievalWare, 1999-2000, consulta Mayo 2007 http://www.aa-lab.cs.uu.nl/cbirsurvey/cbir-survey/node15.html#SECTION00031202000000000000

[19] A. Pentland, R. Picard, and S. Sclaroff, System One, Photobook: Tools for Content-Based Manipulation of Image Databases," Proc. SPIE, vol. 2185, Storage and Retrieval for Image and Video Databases, Feb. 1994, pp.34-47, consulta Mayo 2007. http://vismod.media.mit.edu/vismod/demos/photobook/index.html

[20] Retriev. System One, 2006. Consulta Mayo 2007, http://labs.systemone.at/retrievr

[21] 2. J. R. Smith and S.-F. Chang, "VisualSEEk: A Fully Automated Content-Based Image Query System," ACM Multimedia Conference, Boston, MA, Nov. 1996.

[22] John Smith, Shih-Fu Chang, WebSEEK, consulta Mayo 2007. http://persia.ee.columbia.edu:8008/

[23] R. Schettini G. Ciocca and S. Zuffi, "A Survey on Methods for Colour Image Indexing and Retrieval in Image Databases," Color Imaging Science: Exploiting Digital Media, R. Luo and L.nbspMacDonaldnbspeds., J. Wiley, 2001.

[24] Howarth, P., Ruger, S.: Evaluation of texture features for content-based image retrieval. In: Proceedings of the International Conference on Image and Video Retrieval, Springer-Verlag (2004) 326–324.

[25] Bimbo del, Alberto, Visual Information Retrievla, Morgan Kaufmann, 1999

[26] O. Starostenko, J. Chávez-Aragón, J. Sánchez, et al, An hybrid approach for image retrieval with ontological content-based indexing, Progress in pattern recognition, image analysis and applications, Springer-Verlag, Germany (2005).

[27] D. Zhang and G. Lu, "A Comparative Study of Fourier Descriptors for Shape Representation and Retrieval," Proc. Fifth Asian Conf. Computer Vision (ACCV '02), pp. 646-651, Jan. 2002.

[28] A. Oliva, A.B. Torralba, A Guerin-Dugue and J. Herault. Global Semantic Classification of Scenes Using Power Spectrum Templates. In The Challenge of Image Retrieval. Electronic Workshops in Computing, http://www.ewic.org.uk/. Newcastle upon Tyne, UK. 25-26 February 1999

[29] Kobus Barnard and Nikhil V. Shirahatti, "A method for comparing content based image retrieval methods", Internet Imaging IX, Electronic Imaging (2003).

[30] Das, Madirakshi, Manmatha, R., Riseman, Edward M., "Indexing Flower Patent Images using Domain Knowledge," in the journal IEEE Intelligent Systems, vol. 14, no.5, pp. 24 (1999)

[31] Ramon Mas Sansó, Xisco Tous Llull , Joan Oliver Mesquida, Felip Salas Suau, "Contribución a la Web Semántica: Búsqueda Integrada de Imágenes por contenido" en el Congreso Español de Informática Gráfica (CEIG). Granada, España. (2005)

[32]H.D. Tagare, C.C. Jaffe, and J. Duncan. Medical image databases: a content-based retrieval approach. J Am Med Inform. Assoc, 4(3):184–198, May 1997.

[33] Y. Liu, N. Lazar, and W. Rothfus, "Semantic-based Biomedical Image Indexing and Retrieval," International Conference on Diagnostic Imaging and Analysis (ICDIA 2002), August, 2002.

[34] W. Xiaoling and X. Kanglin. Application of the fuzzy logic in content-based image retrieval. Journal of Computer Science & Technology JCS&T Vol. 5 No. 1 (5, April 2005).

[35] L.Hollink, A.Th.Schreiber, J.Wielemaker, B.Wielinga. Semantic Annotation of Image Collections. In proceedings of the KCAP'03 Workshop on Knowledge Capture and Semantic Annotation, Florida (October 2003).

[36] Wei Wang , Yimin Wu , Aidong Zhang, SemView: a semantic-sensitive distributed image retrieval system, Proceedings of the 2003 annual national conference on Digital government research, p.1-4, May 18-21, 2003, Boston, MA

[37] W Wang, Y Song, and A Zhang. Semantics retrieval by content and context of image regions. In Proc. of the 15th International Conference on Vision Interface (VI'2002), Calgary, Canada, pages pp 17–24, (May 27-29 2002).

[38] J.Stauder, J.Sirot, H. Borgne, E.Cooke, and N.O'Connor, "Relating visual and semantic image descriptors" in European Workshop on the Integration of Knowledge, Semantics and Digital Media Technology, London, U.K., (2004).

[39] Lavrenko, V., Manmatha, R., Jeon, J. "A model for learning the semantics of pictures". In: Proceedings of the Seventeenth Annual Conference on Neural Information Processing Systems. (2003).

[40] I. Yong, J. Walker, J. Bowie, "An analysis technique for biological shape", Comput. Graphics Image Process. 25 (1974) 357–370.

[41]D. Chetverikov, Y. Khenokh, Matching for shape defect detection, Lecture Notes in Computer Science, Vol. 1689, Springer, Berlin, 1999, pp. 367–374.

[42] D.P. Huttenlocher, G.A. Klanderman, W.J. Rucklidge, Comparing images using the Hausdorf distance, Technical Report, CUCS-TR-91-1211, Department of Computer Science, Cornell University, 1991.

[43] S. Belongie, J. Malik, J. Puzicha, Matching shapes, in: Proceedings of Eighth IEEE International Conference on Computer Vision (ICCV2001), Vol. I, Vancouver, Canada, July, 2001, pp. 454–461.

[44] E.R. Davies, Machine Vision: Theory, Algorithms, Practicalities, Academic Press, New York, 1997, pp. 171–191.

[45] P.J. van Otterloo, A Contour-OrientedApproach to Shape Analysis, Prentice-Hall International (UK) Ltd, Englewood Cli<s, NJ, 1991, pp. 90–108.

[46] M. Sonka, V. Hlavac, R. Boyle, Image Processing, Analysis andMachine Vision, Chapman & Hall, London, UK, NJ, 1993, pp. 193–242.

[47] A. Del Bimbo, P. Pala, Visual image retrieval by elastic matching of user sketches, IEEE Trans. Pattern Anal. Mach. Intell. 19 (2) (1997) 121–132.

[48] M. Das, M.J. Paulik, N.K. Loh, A bivariate autoregressive modeling technique for analysis and classi1cation of planar shapes, IEEE Trans. Pattern Anal. Mach. Intell. 12 (1) (1990) 97–103.

[49] S.R. Dubois, F.H. Glanz, An autoregressive model approach to two-dimensional shape classi1cation, IEEE Trans. Pattern Anal. Mach. Intell. 8 (1986) 627–637.

[50] K.L. Kashyap, R. Chellappa, Stochastic models for closed boundary analysis: representation and reconstruction, IEEE Trans. Inform. Theory 27 (1981) 627–637.

[51] F. Mokhtarian, A. Mackworth, Scale-basedd escription and recognition of planar curves andtwo-d imensional shapes, IEEE Pattern Anal. Mach. Intell. 8 (1) (1986) 34–43.

[52] F. Mokhtarian, S. Abbasi, J. Kittler, E>cient androbust retrieval by shape content through curvature scale space, International Workshop on Image DataBases andMultimed ia Search, Amsterdam, The Netherlands, 1996, pp. 35–42.

[53] D. J. Lee, S. Antani, and L. R. Long, "Similarity Measurement Using Polygon Curve Representation and Fourier Descriptors for Shape-based Vertebral Image Retrieval", SPIE Medical Imaging, Image Processing, Vol. 5032, pp. 1283 – 1291, (February 2003).

[54] D. S. Zhang and G. Lu. "A Comparative Study on Shape Retrieval Using Fourier Descriptors with Different Shape Signatures". In Proc. of International Conference on Intelligent Multimedia and Distance Education (ICIMADE01), pp.1-9, Fargo, ND, USA, June 1-3, 2001

[55] J.R. Ohm, F.B. Bunjamin, W. Liebsch, B. Makai, K. Muller, A. Somlic, D. Zier, A set of visual feature descriptors and their combination in a low-level description scheme, Signal Process. Image Commun. 16 (2000) 157–179.

[56] Q.M. Tieng, W.W. Boles, Recognition of 2D object contours using the wavelet transform zero-crossing representation, IEEE Trans. Pattern Anal. Mach. Intell. 19 (8) (1997) 910–916.

[57] Y. Rui, A.C. She, T.S. Huang, A modi1ed Fourier descriptor for shape matching in MARS, in: A.W.M. Smeulders, R. Jain (Eds.), Image Databases and Multimedia Search, World Scienti1c Publishing Co., Singapore, 1997, pp. 165–177.

[58] D.S. Zhang, G. Lu, A comparative study of Fourier descriptors for shape representation and retrieval, in: Proceedings of the Fifth Asian Conference on Computer Vision (ACCV02), Melbourne, Australia, January 22–25, 2002, pp. 646–651.

[59] D.S. Zhang, Image retrieval basedon shape, Ph.D. Thesis, Monash University, Australia, March, 2002.

[60] H. Freeman, On the encoding of arbitrary geometric con1gurations, IRE Trans. Electron. Comput. EC-10 (1961) 260–268.

[61] W.I. Groskey, R. Mehrotra, Index-based object recognition in pictorial data management, Comput. Vision Graphics Image Process. 52 (1990) 416–436.

[62] W.I. Groskey, P. Neo, R. Mehrotra, A pictorial index mechanism for model-based matching, Data Knowledge Eng. 8 (1992) 309–327.

[63] R. Mehrotra, J.E. Gary, Similar-shape retrieval in shape data management, IEEE Comput. 28 (9) (1995) 57–62.

[64] S. Berretti, A.D. Bimbo, P. Pala, Retrieval by shape similarity with perceptual distance and e<ective indexing, IEEE Trans. Multimedia 2 (4) (2000) 225–239.

[65] G. Dudek, J.K. Tsotsos, Shape representation and recognition from multiscale curvature, Comput. Vision Image Understanding 68 (2) (1997) 170–189.

[66] K.S. Fu, Syntactic Methods in Pattern Recognition, Academic Press, New York, 1974.

[67] M. Kliot, E. Rivlin, Invariant-basedshape retrieval in pictorial databases, Comput. Vision Image Understanding 71 (2) (1998) 182–197.

[68] D.M. Squire, T.M. Caelli, Invariance signature: characterizing contours by their departures from invariance, Comput. Vision Image Understanding 77 (2000) 284–316.

[69] R. M. Rangayyan, D. Guliato, J. Daloia de Carvalho, S. A. Santiago, "Feature Extraction from the Turning Angle Function for the Classification of Contours of Breast Tumors", IEEE Special Topic Symposium on Information Technology in Biomedicine, Iaonnina, Greece, October 2006, in press.

[70] Tanase, M., Veltkamp, R.C., & Haverkort, H.J. (2005). Multiple Polyline to Polygon Matching. In Proceedings 16th Annual Symposium on Algorithms and Computation (ISAAC) (pp. 60-70). Springer LNCS 3827.

[71] A. Sajjanhar, and G. Lu, "A grid based shape indexing and retrieval method", Special Issue of Australian Computer Journal on Multimedia Storage and Archiving Systems, 29(4):131-140, November 1997.

[72] Dalong Li, Steven Simske "Shape Retrieval Based on Distance Ratio Distribution", HPL-2002-251, CA, 2002

[73] Heng Tao Shen. Finding similar images quickly using object shapes. Conference on Information and Knowledge Management archive. Proceedings of the tenth international conference on Information and knowledge management. ISBN:1-58113-436-3. (2001).

[74] R. Chellappa, R. Bagdazian, Fourier coding of image boundaries, IEEE Trans. Pattern Anal. Mach. Intell. 6 (1) (1984) 102–105.

[75] Barry Smith: Ontology and information systems, forthcoming in Stanford Encyclopedia of Philosophy.

[76] GRUBER, T. R. "Toward Principles for the Design of Ontologies Used for Knowledge Sharing" en International Journal of Human and Computer Studies, 43 (5-6), p.907-928. (1995)

[77] Mizoguchi, R., Ikeda, M., and Sinitsa, K. Roles of shared ontology in AI-ED research. In de Boulay, B. and Mizoguchi, R., editors, Artificial Intelligence in Education AI-ED 97, pages 537-544, Kobe, Japan. IOS Press (1997).

[78] Natalya F. Noy and Deborah L. McGuinness. "Ontology Development 101: A Guide to Creating Your First Ontology". Stanford Knowledge Systems Laboratory Technical Report KSL-01-05 and Stanford Medical Informatics Technical Report SMI-2001-0880, March 2001.

[79] J. O'Rourke and FL Washington, "Curve Similarity via Signatures", in Computational Geornetry, G. Toussaint (ed.), North-Holland, 1985. pp. 295-318.

[80] J.T. Schwartz and M. Sharir, “Some Remarks on Robot Vision”, Technical Report No. 119, Robotics Report No. 25, New York University, Courant Institute of Mathematical Sciences, April, 1984.

[81] J. Hong and X. Tan, “The Similarity Between Shapes under Affine Transformation”, Technical Report No. 336, Robotics Report No. 133, New York University, Courant Institute of Mathematical Sciences, December, 1987.

[82] Osmar R. Zaiane, “From Resource Discovery to Knowledge Discovery on the Internet, Technical Report” Simon Fraser University, August, 1998.

[83] Eero Hyvönen, Avril Styrman, and Samppa Saarela. “Ontology-based image retrieval”. In Proceedings of XML Finland Conference, pages 51–27, 2002.

[84] H. Kim, J. Kim, “Region-based shape descriptor invariant to rotation, scale and translation”, Signal Process. Image Commun. 16 (2000) 87–93.

[85] H. Asada, M. Brady, The curvature primal sketch, MIT AI Memo 758, 1984.

[86] T. Pavlidis, “Algorithms for Graphics and Image Processing”, Computer Science Press, Rockville, MD, 1982, p. 143.

[87] T.-S. Chua, K.-C. Teo, B.-C. Ooi, and K.-L. Tan. “Using domain knowledge in querying image databases”. In Proc. Int. Conference on Multimedia Modeling, 1996.

[88] B. Smith and C. Welty. “Ontology towards a new synthesis”. In Proc. Int. Conference on Formal Ontology in Information Systems, 2001.

[89] Lozano-Tello A., “Ontologías en la Web Semántica”, Cuadernos de Investigación en Ingeniería Informática. Número 5: Ingeniería Web: Nuevos Retos Tecnológicos en la Era de la Información. Ediciones Servitec. Págs 7-11. Oviedo, España. 2001.

[90] Nicola Guarino. “Semantic Matching: Formal Ontological Distinctions for Information Organization, Extraction, and Integration”. SCIE 1997: 139-170.

[91] Jozef Stasák “Contribution to Image Semantic Analysis”. INFORUM 2004: 10th Conference on Professional Information Resources Prague, May 25-27, 2004.

[92] Zaher Aghbari Akifumi Makinouchi “Semantic Approach to Image Database Classification and Retrieval”, NII Journal No.7, 2003, Japón.

[93] Barry Smith. Ontology and information systems, forthcoming in Stanford Encyclopedia of Philosophy.

[94] Estructuras de clasificación en español. Terminología y adquisición de conocimiento explícito para la Web semántica. V Congreso Internacional de la Asociación Europea de Lenguas para Fines Específicos (AELFE), Zaragoza, España, 2007.

[95] Sánchez-López S, Oleg Starostenko. “Modelo de Indexación de formas basado en ontologías para sistemas VIR”. Artículo aceptado para su publicación en el Encuentro de estudiantes en Ciencias de la Computación. Centro de Investigación en Computación del IPN (E2C2). México. Mayo 2007.